

**SHEIKH ZAYED MEDICAL COLLEGE/HOSPITAL, RAHIM YAR KHAN.**

**TECHNICAL COMPARATIVE STATEMENT FOR THE PURCHASE OF SURGICAL DISPOSABLE ITEMS (DRUGS) FINANCIAL YEAR 2016-17**

**BID EVALUATION CRITERIA**

Tender Sr. No, 01

Name of Item . Absorbent Cotton Wool (BPC) 500gm

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DM/SL" Affidavits "A/D", Regarding Babin History and Drug Registration, Good manufacturing certificate "GMP".)				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder, "PP" (Last two years) Credibility & Certification of Manufacturer "CC", (Prog. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approver of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R".)	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/SL (Y/N)	AED (DTL) (Y/N)	AED (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC/PE 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)					
1.	Al-Ghani Tradlers	Asian Fiber	cotton roll	Y	Y	Y	Y	8	8	3	8	Y	Y	Y	12	A.	39	Responsiv e		
2	Cotton Craft	Cotton Craft	Cotton Wool	Y	Y	Y	Y	10	10	5	10	Y	Y	Y	6	A.	41	Responsiv e		
4	3-Plus Pharma	Umer Usman Ihd	Umer Usman	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	10	R.	40	Not Responsiv e	sample rejected by TSC.	

**Total Marks = 50**  
**Qualifying Marks = 65% (33)**

*(Handwritten signatures and initials in blue ink)*

**BID EVALUATION CRITERIA**

Tender Sr. No, 02

Name of Item . Absorbent Guaze (BPC) Cloth (100cm x 30meter)

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm's Bidder ( Drug Mfg Lic./ Sale License "DM/LS", Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP" )				Ordinary Criteria of Firm's Bidder ( Performance of the Bidder "PP", (Last Two years) Creditability & Certification of Manufacturer "CC", (Preq. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")						Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinical Experiences, (Approved "A", Rejected "R".)	Opt. Marks out of 50	Technical Eligibility of Product	Remarks
				DM/SL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC/Pre. 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks						
1	Al-Ghani Traders	Faisal Pharma	Steri Band	Y	Y	Y	N	8	5	3	0	Y	Y	No Sample	N	5	R	21	Non Responsive	non compliance of compulsory parameters		
2	Cotton Craft	Cotton Craft	Absorbent Guaze	Y	Y	Y	Y	10	10	5	10	Y	Y	Y	Y	6	A	41	Responsive			
4	3-Plus Pharma	Umer Usman Ind.	Umer Usman	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	8	A	38	Responsive			

*Muhammad*  
*Umer Usman*  
*Faisal*  
*Umer Usman*

Total Marks = 50  
 Qualifying Marks = 65% (33)

*Umer Usman*

*Umer Usman*

# BID EVALUATION CRITERIA

Tender Sr. No, 03

Name of Item . Adhesive Zinc Oxide (ZnO) Plaster B.P.C. Spool of 7.5 cm x 9 meter

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DML/SL", Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP".)				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "PP", Last two years) Credibility & Certification of Manufacturer "CC", (Pres. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product ( Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinical Experience. (Approved "A", Rejected "R".)	Obt. Marks out of 50 Out of 50	Technical Eligibility of Product	Remarks
				AFD (DTL) (Y/N)	AFD (D.R) (Y/N)	GMP (Y/N)	PP 10 marks	CC/Ph. 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks						
1	New Majeed	BSN Medical	Paragon zinc oxide	Y	Y	Y	10	7	5	6	Y	Y	Y	Y	Y	A/R	38	Responsive			
2	Arsons Pharma	Arsons Pharma	Adhesive ZnO plaster	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	A	42	Responsive			
3	3-Plus Pharma	Local	Dr. Sethi	Y	N	N	10	0	5	0	N	N	Y	N	N	R	20	Non Responsive	A/L not attached and non compliance of compulsory parameters		
4	Dr. Sethi Pharma	Dr. Sethi Pharma	Fine Tape	Y	Y	Y	8	8	2	10	Y	Y	Y	Y	Y	A	38	Responsive			

Total Marks = 50  
 Qualifying Marks = 65% (33)



# BID EVALUATION CRITERIA

Tender Sr. No, 05

Name of Item . Bandage Plaster of Paris 15cm X 2.7 meter

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg.Lic./ Sale license "DMU/SL" Affidavit "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP".)				Ordinary Criteria of Firm/ Bidder (Performance of the Bidder "pp" (Last two years) Credibility & Certification of Manufacturer "Crc", (Preq. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinid Experience, (Approved "A" Rejected "R".)	Obs. Marks out of 50	Technical Eligibility of Product	Remarks
				DMU/ SL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	OCPre. 8-2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks					
1	New Majeed	BSN Medical	Gypsona	Y	Y	Y	Y	10	7	5	6	Y	Y	Y	Y	10	A	38	Responsive		
2	Cotton Craft.	Cotton Craft	Ortho Plast	Y	Y	Y	Y	10	10	5	10	Y	Y	Y	Y	6	R	41	Non Responsive	sample rejected by TSC due to poor performance of last year.	

*Handwritten signatures and initials in blue ink.*

Total Marks = 50  
Qualifying Marks = 65% (33)

*Handwritten signature in blue ink.*

# BID EVALUATION CRITERIA

Tender Sr. No, 05

Name of Item . Bandage Plaster of Paris 15cm X 2.7 meter

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DML/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "pp" (Last two years) Credibility & Certification of Manufacturer "C/C", (Preq. By Govt./ Financial) Financial Status of Bidder: "FS", Technical Staff of Manufacturer: "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product ( Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinid Experience, (Approved "A" Rejected "R".)	Obs. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/ SL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	C/C/Pre 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks					
1	New.Majeed	BSN Medical	Gypsona	Y	Y	Y	Y	10	7	5	6	Y	Y	Y	Y	10	A/R	38	Responsive		
2	Cotton Craft	Cotton Craft	Ortho Plast	Y	Y	Y	Y	10	10	5	10	Y	Y	Y	6	R	41	Non Responsive	sample rejected by TSC due to poor performance of last year.		

**Total Marks = 50**  
**Qualifying Marks = 65% (33)**

# BID EVALUATION CRITERIA

Tender Sr. No, 06

Name of Item . Blood Transfusion Bag 250ml

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Lic./ Sale License "DM"/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "pp" (Last two years) Credibility & Certification of Manufacturer "CrC", (Pres. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" )				Ordinary Criteria of Product ( Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R".)	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/ SL (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC/Pre. (8/2 marks)	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks						
1.	3-Plus Pharma	Jiangxi Hongdga China	Dear	Y	N	N	10	5	5	6	Y	Y	NO sample	N	5	R	31	Non Responsive	A/L not attached and non compliance of compulsory parameters		
2.	Linker Asia	Jiangxi Hongdga China	Dear	Y	Y	Y	10	8	5	6	Y	Y	Y	Y	6	R	37	Non Responsive	sample rejected by TSC.		

Total Marks = 50  
Qualifying Marks = 65% (33)

# BID EVALUATION CRITERIA

Tender Sr. No, 07

Name of Item . Blood Transfusion Bag 500ml

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg. Lic./ Sale License "DML/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CC", (Preq. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R".)	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/ SL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC/PS: 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)					
1	3-Plus Pharma	Jiangxi Hongga China	Dear	Y	N	N	N	10	5	5	6	Y	Y	Y	5	R	31	Non Responsive	A/L not attached and non compliance of compulsory parameters	
2	Linker Asia	Jiangxi Hongga China	Dear	Y	Y	Y	Y	10	8	5	6	Y	Y	Y	8	R	37	Non Responsive	sample rejected by TSC.	

Total Marks = 50  
 Qualifying Marks = 65% (33)



# BID EVALUATION CRITERIA

Tender Sr. No, 08

Name of Item . Blood Transfusion Set

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DML/SL" Affiliates "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP" )				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "pp" (Last two years) Credibility & Certification of Manufacturer "CC", (Preq. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")						Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" )				Ordinary Criteria of Product ( Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R", )	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/ SL AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC/CR/4 8/2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks							
1	Hassan Surgical	Kawa Medical Japan	Unison	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	BC (Y/N)	ME 15 marks	A/R	39	Non Responsive	sample rejected by TSC.	
2	Linhier Asia	Jiangxi Hontiga China	Dear	Y	Y	Y	10	8	5	6	Y	Y	Y	Y	Y	BC (Y/N)	ME 15 marks	R	37	Non Responsive	sample rejected by TSC.	

Total Marks = 50  
Qualifying Marks = 65% (33)

*(Handwritten signatures and initials in blue ink)*

*(Handwritten signature in blue ink)*

# BID EVALUATION CRITERIA

Tender Sr. No, 09

Name of Item . Central Venous Pressure (CVP) Line (Double Lumen) with selinger wire Size 7.0 Fr - 12.0 Fr (Reg)

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DMU/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP".)				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "pp" Last two years) Credibility & Certification of Manufacturer "CC", (Pret. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC".)				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approve of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R".)	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DMU/ SL (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 30 marks	COPE 8+2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks					
1	New Majeed	B.Brun	Centifix Duo	Y	Y	Y	10	8	5	8	Y	Y	Y	Y	8	A	39	Responsive		
2	3-Plus Pharma	SMMP KSA.	Maicath	Y	N	Y	10	8	3	0	N	N	N	No sample	0	R	21	Non Responsive	non compliance of compulsory parameters	
3	Iqbal & Company	Teleflex Medical USA	Arrow Inter.	Y	Y	Y	10	8	5	8	Y	Y	Y	Y	8	A	39	Responsive		



Total Marks = 50  
Qualifying Marks = 65% (33)

# BID EVALUATION CRITERIA

Tender Sr. No, 10

Name of Item . Central Venous Pressure (CVP) Line (Single Lumen) with seildinger wire Size 2.7Fr-9.6Fr (Reg)

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DMJ/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP".)				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder "pp" (Last two years) Credibility & Certification of Manufacturer "C-C", (Preq. By Govt./ Financial) Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC")				Ordinary Criteria of Product (Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clinical Experience, (Approved "A", Rejected "R".)	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DMJ/ SL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CCORP 8-2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks					
1	New Wajeed	B. Brun	Certifix Mono	Y	Y	Y	Y	10	8	5	8	Y	Y	Y	Y	ME	A/R	39	Responsive		
2	Iqbal & Company	Teleflex Medical USA	Arrow Inter.	Y	Y	Y	Y	10	8	5	8	Y	Y	Y	Y	B	A	38	Responsive		

*Mohammed*  
*[Signature]*  
*[Signature]*  
*[Signature]*  
*[Signature]*

Total Marks = 50  
 Qualifying Marks = 65% (33)

*[Signature]*

*[Signature]*

# BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item . Central Venous Pressure (CVP) Line Leads

Sr. No.	Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder ( Drug Mfg Lic./ Sale License "DML/SL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP", )				Ordinary Criteria of Firm/ Bidder ( Performance of the Bidder: "PP" (Last two years) Credibility & Certification of Manufacturer "CrC", (Preq. By Govt./ Financial) Financial Status of Bidder: "FS", Technical Staff of Manufacturer: "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC", Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" )				Ordinary Criteria of Product ( Market Experience of Quoted Product) "ME"	Approval of samples by TSC/ End User & Clincl Experience, (Approved "A" Rejected "R", )	Obt. Marks out of 50	Technical Eligibility of Product	Remarks
				DML/ SL (Y/N)	AFD (DTL) (Y/N)	AFD (D-R) (Y/N)	GMP (Y/N)	PP 10 marks	CCP/B 8-2 marks	FS 05 marks	TS 10 marks	DRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	ME 15 marks					
1	3-Plus Pharma	SMMP KSA	Maicath	Y	N	N	Y	10	8	3	0	N	N	N	0	R	21	Non Responsive	non compliance of compulsory parameters		
2	Iqbal & Company	Teleflex Medical USA	Arrow Inter.	Y	Y	Y	Y	10	8	5	8	Y	Y	Y	8	A	39	Responsive			

*Muzamil* *Mirza* *Mirza* *Mirza* *Mirza* *Mirza*

Total Marks = 50  
Qualifying Marks = 65% (33)

*Mirza* *Mirza*

