



SHEIKH ZAYED HOSPITAL RAHIM YAR KHAN

email: szmcadmn@gmail.com, website: www.szmc.edu.pk
Tel. (068) 9230161-163, Fax. (068) 9230162

Ref. No 6271-76/SZH, Dated 09-08-2021

To

1. M/s. Agfa Pakistan Pvt. Ltd. 1-Babar Commercial center, Kutchery Road Multan
2. M/s. Radiant Medical Pvt. Ltd. 6-Sharshah Block, New Garden Town Lahore
3. M/s. Medical Equipment & System, 60/61 F.C.C. Sayed Maratib Ali Road, Gulberg, IV Lahore.
4. M/s. Fuji Films Pakistan Ltd. Shop No. 05-B Lala Complex Modal Town Hospital Road, Rahim Yar Khan.


SUBJECT:

ANNOUNCEMENT OF TECHNICAL BID EVALUATION REPORT AND FINANCIAL BID OPENING & FINALIZATION OF RATES FOR THE BULK PURCHASE OF GENERAL X-RAY FILMS. CT SCAN FILMS. MRI FILMS DIGITAL X-RAY FILMS. FLUOROSCOPY FILMS (WITH ENVELOPS). FINANCIAL YEAR 2021-22.

It is hereby informed that Technical Bid Evaluation Report for the bulk purchase of above-mentioned tender, financial year 2021-22 has been uploaded at the website of Sheikh Zayed Medical College/Hospital, Rahim Yar Khan (www.szmc.edu.pk Info@szmc.edu.pk) and PPRA www.ppra.punjab.gov.pk. All the participating bidders can check their status on these websites and submit their grievances if any about their quoted items and attend the meeting of Grievance Redressal Committee on dated **13-08-2021 at 11:00 am** in committee room of this institution.

Financial Bid Opening & Finalization of Rates: -

All the qualified bidders are also informed to attend the meeting for the financial bid opening & finalization of rates for the bulk purchase of above-mentioned tender for Financial year 2021-22 on **17-08-2021 at 11:00 am** in committee room of Sheikh Zayed Medical College/ Hospital. The financial bids of technically rejected bidders will also be returned on the same day.


MEDICAL SUPERINTENDENT
Sheikh Zayed Hospital
Rahim Yar Khan

C.C.

1. The Principal, SZMC/SZH, R.Y.Khan.
2. The Chairman Grievances Redressal Committee.

SHEIKH ZAYED MEDICAL COLLEGE/HOSPITAL, RAHIM YAR KHAN

BIDDERS EVALUATION CRITERIA (TECHNICAL SCRUTINY) FOR THE PURCHASE OF GENERAL X-RAY FILMS, C.T. SCAN FILMS, MRI FILMS, FLUOROSCOPY DIGITAL X-RAY FILMS, DIGITAL DRY X-RAY FILMS (with envelopes) FINANCIAL YEAR 2021-22. (Meeting held on 05-08-2021)

Sr. #	Detail	1	2	3	4
		M/s. Agfa Pakistan	M/s. Radiant Medical	M/s. Medical Equipment	M/s. Fuji Films Pakistan
01	Original receipt for purchase of tender.	Attached	Attached	Attached	Attached
02	Acceptance of terms and condition, tender documents duly signed and stamped.	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp
03	Valid Manufacturer's Authorization	Attached	Attached	Attached	Attached
04	An affidavit on stamp paper of Rs. 100/- submitting following clauses: i) replacement of unconsumed / expired / substandard spurious drugs / stocks free of cost, ii) that the firm is never blacklisted on any grounds whatsoever. iii) Price Reasonable certificate. (iv) Certificate that prices are not more than trade price.	Attached	Attached	Attached	Attached
05	An affidavit on stamp paper submitting that the price quoted to this institute against the quoted items mentioned in the bid are not more than the prices charged from any Purchase Organization in the country and in case of discrepancy the bidder hereby undertakes to refund the price charged in excess".	Attached	Attached	Attached	Attached
06	Preferably in the shape of Bank Guarantee (irrevocable) or CDR or Banker's cheque (2% of estimated price)	Required 304609 Attached 336400/-	Required 304609 Attached 336390/-	Required 789997 Attached 800000/-	Required 789997 Attached 788961/-

Sr. #	Detail	1	2	3	4
		M/s. Agfa Pakistan	M/s. Radiant Medical	M/s. Medical Equipment	M/s. Fuji Films Pakistan
07	National tax number and General Sale Tax number certificate	Attached	Attached	Attached	Attached
08	Professional Tax	Attached	Attached	Attached	Attached
09	Valid Drug Sales License / Valid Drug Manufacturing License (in case of firm itself) issued by DRAP	Attached Form-7	Attached Form-11	Attached Form-11	Attached Form-7
10	Sample provided as per Proforma attached	Provided	Provided	Provided	Provided
11	The Original price List of the firm indicating the inclusion of the item / product of quoted item (Latest)	Attached	Attached	Attached	Attached
12	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Followed	Followed	Followed	Followed
13	Price should not be mentioned on technical bid.	Followed	Followed	Followed	Followed
14	Certificates (FDA/ISO/CE/ GMP Certificate)	FDA, ISO Attached	FDA, ISO Attached	FDA, ISO Attached	FDA, ISO Attached
15	Valid Import License issued by DRAP (in case of importers)	Attached (Form-4)	Attached (Form-4)	Attached (Form-4)	Attached (Form-4)

Amir

Sehail


U

Sr. #	Detail	1	2	3	4
		M/s. Agfa Pakistan	M/s. Radiant Medical	M/s. Medical Equipment	M/s. Fuji Films Pakistan
16	Sole Agency Certificate / Agreement with Foreign Principal (in case of Importer) translated in English (sole agents having less than one year market experience will not be entertained)	Attached	Attached	Attached	Attached
17	Letter of Intention (as per specimen proforma attached)	Attached	Attached	Attached	Attached
18	Affidavit (as per specimen proforma attached)	Attached	Attached	Attached	Attached
		Responsive	Responsive	Responsive	Responsive


Dr. Sehrish Javed
Procurement Section

Dr. Maria Zulfiqar
Procurement Section

Mrs. Rahat Ramzan
Director Technical/ Drugs Controller


Dr. Amreen Bhatti
A.M.S. (Stores)

Dr. Sairah Sadaf
Head of Anesthesia Department

Assot. Prof. Dr. Muazzam Ali Atif
Pharmacology Dept.


Assot. Prof. Dr. Naseer Ahmed Ch.
Ortho Department

Assot. Prof. Dr. Zaheer Mustafa
Radiology Department


Prof. Dr. Tariq Ghaffoor
Surgery Department

Prof. Dr. Irfan Ahmed
Medicine Department

Prof. Dr. Muhammad Fahim Awan
Head of ENT Dept.


Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Chairman
Technical Scrutiny Committee

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN
ITEMWISE COMPARATIVE STATEMENT FOR THE BULK PURCHASE OF GENERAL X-RAY FILMS, C.T. SCAN FILMS, MRI FILMS, FLUOROSCOPY DIGITAL X-RAY FILMS,
DIGITAL DRY X-RAY FILMS . FINANCIAL YEAR 2021-22. (Meeting Held on 05-08-2021)

BID EVALUATION CRITERIA

Tender Sr. No. 1- CT Scan Films 14 x 17 (Pack of 100 Sheets) with envelopes

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DMU/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (last two years) Credibility & Certification of Manufacturer "CFC" (ISO etc). (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")					Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ JP MHLW/WHO/MDD)					Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product
			DMU/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CFC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ JP MHLW/ WHO/M DO (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	PE 20 marks	A/R		
M/s. Medical Equipment	Konica Minolta Netherland (Made in Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	5	A	43	Responsive
M/s. Agfa Pakistan	Agfa Belgium	Agfa CT Scan films (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	8	8	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Radiant Medical	Carestream USA	Dryview DVE Laser film (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	10	8	20	4	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Di- HL (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive

Total Marks = 70

Qualifying Marks = 60% (42)

BID EVALUATION CRITERIA

Tender Sr. No. 2- MRI Films 14 x 17 (Pack of 100 Sheets) with envelopes

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Jp MHLW/ WHO/MDD)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Jp MHLW/ WHO/M DD (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	PE 20 marks	A/R		
M/s. Medical Equipment	Konica Minolta Netherland (Made In Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Agfa Pakistan	Agfa Belgium	Agfa MRI Films (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	8	8	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	48	Responsive
M/s. Radiant Medical	Carestream USA	Dryview DVE Laser Film (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	10	8	20	4	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	48	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Film (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive

Total Marks = 70

Qualifying Marks = 60% (42)

BID EVALUATION CRITERIA

Tender Sr. No. 3-X-Ray Films 10 x 12 (Pack of 100 Sheets) with envelopes

Name of Firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CC" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Jp MHLW/ WHO/MDO)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Jp MHLW/ WHO/M DD (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Hstry 05 Marks	PE 20 marks	A/R		
			Not Quoted																		

Total Marks = 70
Qualifying Marks = 60% (42)






BID EVALUATION CRITERIA

Tender Sr. No. 4-X-Ray films 12 x 15 (Pack of 100 Sheets) with envelopes

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (last two years) Credibility & Certification of Manufacturer "C/C" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Ip MHLW/ WHO/MDO)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	C/C 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Ip MHLW/ WHO/M DO (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	PE 20 marks	A/R		

Not Quoted

Not Quoted

Total Marks = 70

Qualifying Marks = 60% (42)

Praveen
Seetha
Praveen
Seetha

BID EVALUATION CRITERIA

Tender Sr. No. 5- Fluoroscopy Digital X-Ray Films size 14 x 17 (Pack of 100 sheets) with envelopes

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DMU/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CC" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Jp MHLW/ WHO/MDD)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinid Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DMU/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Jp MHLW/ WHO/M DD (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	PE 20 marks			
M/s. Medical Equipment	Konica Minolta Netherland (Made in Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Agfa Pakistan	Agfa Belgium	Agfa Flu. Films (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	8	8	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	48	Responsive
M/s. Radiant Medical	Carestream USA	Dryview DVE Laser Film (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	10	8	20	4	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	48	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Film (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive

Total Marks = 70
Qualifying Marks = 60% (42)

BID EVALUATION CRITERIA

Tender Sr. No. 6- Digital Dry X-Ray Film Size 08x10 (150-sheets) with envelops (with digitizers free of cost)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DMU/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "C-C" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Jp MHLW/ WHO/MDO)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product
			DMU/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	C-C 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Jp MHLW/ WHO/M DO (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	PE 20 marks			
M/s. Medical Equipment	Konica Minolta Netherland (Made in Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Film (150 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive

Total Marks = 70

Qualifying Marks = 60% (42)

(Signatures)

BID EVALUATION CRITERIA

Tender Sr. No. 7-Digital Dry X-Ray Film Size 10x12 (150-sheets) with envelopes (with digitizers free of cost)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DMU/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (last two years) Credibility & Certification of Manufacturer "CFC" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ Ip MHILW/ WHO/MDD)						Ordinary Criteria of Product (Batch History, Experience of the Quoted Product since last 05 Years)		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obc. Marks	Technical Eligibility of Product
			DMU/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CFC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ Ip MHILW/ WHO/M DD (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	PE 20 marks	A/R		
M/s. Medical Equipment	Konica Minolta Netherland (Made in Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Film (150 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	6	A	43	Responsive

Total Marks = 70

Qualifying Marks = 60% (42)







BID EVALUATION CRITERIA

Tender Sr. No. 8-Digital Dry X-Ray Film Size 14x17 (100-sheets) with envelopes (with digitizers free of cost)

Name of Firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DMU/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate "GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (last two years) Credibility & Certification of Manufacturer "CC" (ISO etc), (Financial) Financial Capacity of Bidder "FC", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience from DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate, FDA/ JP MHLW/ WHO/ MDO)				Ordinary Criteria of Product (Batch History, Experience of the Quoted Products since last 05 Years)		Approval of samples by TSC/ End User & Client Experience, Approved "A" Rejected "R,"	Occ. Marks	Technical Eligibility of Product		
			DMU/ DSL (Y/N)	AFD (DTU) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CC 10 marks	FC 20 marks	TS 10 marks	DRC/ PEC (Y/N)	FDA/ JP MHLW/ WHO/IM DD (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks			PE 20 marks	A/R
M/s. Medical Equipment	Konica Minolta Netherland (Made in Japan)	Konica Minolta Dry Laser (125 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	8	15	8	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	5	A	43	Responsive
M/s. Fuji Films	Fuji Films Corp. Japan	Fuji Dry Laser Film (100 sheets)	Y	Not Applicable	Not Applicable	Not Applicable	6	5	20	6	Not Applicable	Y	Not Applicable	Y	Y	Y	Not Applicable	5	A	43	Responsive
Total Marks = 70																					


Total Marks = 70

Qualifying Marks = 60% (42)


Dr. Sehrish Javed
Medicine Procurement

Dr. Maria Zufiqar
Medicine Procurement

Mr. Rahat Ramzan
Director Technical / Drugs Controller


Dr. Anjabeen Bhatti
A.M.S. (Stores)

Dr. Sairah Sadat
Head of Anesthesia Department

Assot. Prof. Dr. Muazzam Ali Atif
Pharmacology Department


Assot. Prof. Dr. Naseer Ahmad Ch.
Head of Ortho Department

Assot. Prof. Dr. Zaheer Mustafa
Radiology Department


Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Irfan Ahmed
Medicine Department

Prof. Dr. Fahim Awan
Head of ENT Department


Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Chairperson
Head of Gynea Department