

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

Item-Wise Technical Comparative Statement for the Bulk Purchase of Lab. Kits, Chemicals, Reagents & Misc. Items for Financial Year 2022-23

Note:- i) Total No. 80, Qualifying Criteria 60% i.e 48 Nos. ii) "N.A" Stands for Not Applicable, iii) "Y" Stands for Yes iv) "N" Stands for No

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
Microbiology Section:																							
CLED Agar																							
1	M/S Keyyani Medical Solution	Lifo, Italy	500 gm	0	0	4	0	4	0	0	0	5	0	5	Y	N	N	Y	Approved	18	Non-responsive		
	M/S Musaji Adam & Sons	Oxide UK	500 gm	10	6	4	0	0	0	0	0	5	10	5	Y	Y	N	Already in Use	Approved	40	Non-responsive		
HBsAg ICT (WHO Recommended)																							
2	M/S Popular International	Acor Biotech, USA	1x25 T	10	2	4	4	4	4	0	5	5	10	5	Y	N	Y	Prev. Evaluation	Rejected	53	Non-responsive		
	M/S Three Star	SD Bioline Abbott	30 T	10	4	4	4	4	0	4	5	5	10	5	Y	Y	Y	Y	Approved	55	Non-responsive		
Anti HCV ICT(WHO Recommended)																							
3	M/S Popular International	Acor Biotech, USA	1x25 T	10	2	4	4	4	4	0	5	5	10	5	Y	N	Y	Prev. Evaluation	Rejected	53	Non-responsive		
	M/S Three Star	Abbott Bioline	30 T	10	4	4	4	4	0	4	5	5	10	5	Y	Y	Y	Y	Approved	55	Non-responsive		
4	HbeAg (ICT)																				NOT QUOTED		
Hepatitis E virus (ICT)																							
5	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	0	4	4	4	0	0	0	5	3	5	Y	Y	Y	Y	Approved	31	Non-responsive		
Hepatitis A Virus (ICT)																							
6	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	0	4	4	4	0	0	0	5	3	5	Y	Y	N.A	Y	Approved	31	Non-responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
HIV ICT (WHO Recommended)																						
7	M/S Popular International	Acor Biotech, USA	1x25 T	10	0	4	4	4	4	0	5	5	10	5	Y	N	Y	Prev. Evaluation	Rejected	51	Non-responsive	
	M/S Three Star	Abbott Bioline	1x25 T	10	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	Y	Approved	55	Non-responsive	
Syphilis VDRL (ICT)																						
8	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Approved	33	Non-responsive	
	M/S Popular International	Acor Biotech, USA	1x25 T	10	2	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Rejected	53	Non-responsive	
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	40 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	53	Responsive	
	M/S Three Star	Abbott Bioline	1x25 T	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	49	Responsive	
	M/S Human Medical Services	DiaScient	1 T	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
Field Stain A																						
9	M/S Three Star	Diachem	500 ml	10	4	0	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	39	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	1 Ltr	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
Field Stain B																						
10	M/S Three Star	Diachem	500 ml	10	4	0	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	39	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	1 Ltr	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
Pregnancy Strips																						
11	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	50 T	6	0	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Apprvoed	31	Non-responsive	
	M/S Popular International	Acor Biotech, USA	1x25 T	10	0	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Rejected	51	Non-responsive	
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	100 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	57	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
R.A. Factor Kit																						
12	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	1x100 T	10	0	4	4	4	0	0	0	0	10	0	Y	N	Y	N	No sample	32	Non-responsive	
	M/S Popular International	Human Germany	1x100 T	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experience	Approved	49	Responsive	
	M/S Moon Enterprises	Atlas Medical, Germany	100 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	SBIO	100 T	10	6	4	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	45	Non-responsive	
ASO Titre Kit																						
13	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	100 T	10	0	4	4	4	0	0	0	0	10	0	Y	N	Y	N	No sample	32	Non-responsive	
	M/S Popular International	Human Germany	100 T	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experience	Approved	49	Responsive	
	M/S Moon Enterprises	Atlas Medical, Germany	100 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive	
	M/S Three Star	SBIO	100 T	10	6	4	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	45	Non-responsive	
Dengue IgG, IgM ICT																						
14	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	6	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Apprvoed	37	Non-responsive	
	M/S Popular International	Acor Biotech, USA	1x25 T	10	0	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Rejected	51	Non-responsive	
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	40 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	57	Responsive	
	M/S Three Star	Abbott Bioline	25 T	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	49	Non-responsive	
Dengue NS1 (ICT)																						
15	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Approved	33	Non-responsive	
	M/S Popular International	Acor Biotech, USA	1x25 T	10	6	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Rejected	57	Non-responsive	
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	40 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	57	Responsive	
	M/S Three Star	Abbott Bioline	25 T	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	0	0	5	5	10	20										
16	Dengue NS1 (ELISA)																					
	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	2	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	54	Responsive	
17	Dengue IgM (ELISA)																					
	M/S Popular International	Human Germany	1x96 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	53	Responsive	
18	Dengue IgG (ELISA)																					
	M/S Popular International	Human Germany	1x96 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experience	Approved	53	Responsive	
19	Anti HDV ELISA Kit																				NOT QUOTED	
20	Toxoplasmosis ELISA Kit																				NOT QUOTED	
21	Rubella ELISA Kit																				NOT QUOTED	
22	Cytomegalovirus ELISA Kit																				NOT QUOTED	
23	Herpes simples ELISA Kit																				NOT QUOTED	
24	H. Pylori Stool Antigen (HpSA)																					
	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Approved	33	Non-responsive	
	M/S Popular International	Acor Biotech, USA	25T	10	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Rejected	55	Non-responsive	
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	30 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	53	Responsive	
	M/S Musaji Adam & Sons	Remel UK	20 T	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
25	TPHA for syphilis																				NOT QUOTED	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
C. Reactive Protein (CRP) Reagent Kit																						
26	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	100 T	10	0	4	4	4	0	0	0	0	10	0	Y	N	Y	N	No sample	32	Non-responsive	
	M/S Popular International	Human Germany	100 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experience	Approved	53	Responsive	
	M/S Moon Enterprises	Atlas Medical, Germany	100 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive	
	M/S Three Star	SBIO	100 T	10	2	4	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	41	Non-responsive	
Urine Strips 3 Parameters																						
27	M/S Three Star	Uric 3v	100 T	10	4	0	0	0	0	0	5	5	10	5	N	Y	N	N	No sample	39	Non-responsive	
Urine Strips 10 Parameters																						
28	M/S Popular International	Acon USA	1x100 T	10	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Approved	55	Responsive	
	M/S Three Star	DFI Korea	1x100 T	10	4	4	4	4	0	4	5	5	10	5	Y	Y	Y	Y	Approved	55	Responsive	
Disposable Urine Container 60 ml																						
29	M/S National Diagnostic Center	Local	1x1 No	10	2						0	5	10	5	N.A	Y	N.A	Already in Use	Approved	32	Non-responsive	
	M/S Three Star	Local	1x100 Nos	10	6	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	41	Non-responsive	
Z.N. Stain Set																						
30	M/S Three Star	Cresent	3x1 Ltr	10	2	4	4	0	0	0	5	5	10	5	Y	Y	N	N	No sample	45	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	3x1 Ltr	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
Gram Stain Set																						
31	M/S Three Star	Cresent	4x500 ml	10	2	4	4	0	0	0	5	5	10	5	Y	Y	N	N	No sample	45	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	4x1 Ltr	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Culture Swab Sticks (Sterilized)																						
32	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	1x100 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	53	Responsive	
	M/S Three Star	China	1x100 T	10	4	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	39	Non-responsive	
	M/S Musaji Adam & Sons	Local	1x100 T	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	N	No sample	30	Non-responsive	
MacConKey's Agar																						
33	M/S Keyyani Medical Solution	Lifo, Italy	500 gm	0	0	4	0	4	0	0	0	5	0	5	Y	N	N	Y	Approved	18	Non-responsive	
	M/S Musaji Adam & Sons	Oxide UK	500 gm	10	10	4	0	0	0	0	0	5	10	5	Y	Y	N	Already in Use	Approved	44	Non-responsive	
Disposable Petridishes																						
34	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	1 Pair	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	49	Responsive	
	M/S Three Star	China	1 Pair	10	4	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	39	Non-responsive	
	M/S Musaji Adam & Sons	Nest China	500 Pcs	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	
Blood Culture Bottles (Prepared-Adult)																						
35	M/S Three Star	RSB Pak	1 Bottle	10	6	0	0	0	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	41	Non-responsive	
	M/S Musaji Adam & Sons	Local	50 ml	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	N	No sample	30	Non-responsive	
Blood Culture Bottles (Prepared-Paeds)																						
36	M/S Three Star	RSB Pak	1 Bottle	10	6	0	0	0	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	41	Non-responsive	
	M/S Musaji Adam & Sons	Local	30 ml	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	N	No sample	30	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Mueller Hinton Agar																						
37	M/S Keyyani Medical Solution	Lifo, Italy	500 gm	0	0	4	0	4	0	0	0	5	0	5	Y	N	N	Y	Approved	18	Non-responsive	
	M/S Musaji Adam & Sons	Oxide UK	500 gm	10	10	4	0	0	0	0	0	5	10	5	Y	Y	N	Already in Use	Approved	44	Non-responsive	
Conical Flask (500 ml)																						
38	M/S Musaji Adam & Sons	Germany	1x1 No	10	2	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	Already in Use	Approved	32	Non-responsive	
Conical Flask (1000 ml)																						
39	M/S Musaji Adam & Sons	Germany	1x1 No	10	2	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	Already in Use	Approved	32	Non-responsive	
Glass Slides																						
40	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	72 Pcs	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	China	72 Pcs	10	4	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	39	Non-responsive	
	M/S Musaji Adam & Sons	China	72 Pcs	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	N	No sample	30	Non-responsive	
Cover Slips (18x18 mm)																						
41	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	200 Pcs	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	Germany	200 Pcs	10	4	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Prev. Experience	Approved	39	Non-responsive	
	M/S Musaji Adam & Sons	China	1000 Pcs	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	N	No sample	30	Non-responsive	
ANA Kit																						
42	M/S Moon Enterprises	Atlas Medical, Germany	50 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	SBIO	200 Pcs	10	2	4	0	0	0	0	5	5	10	5	Y	Y	N	N	No sample	41	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
VTM Vials																						
43	M/S Global Marketing Services	Lab Diagnostic System, Pak	1x100 Nos	10	4	0	0	0	0	0	0	0	0	5	N.A	Y	N.A	Y	Rejected	19	Non-responsive	
	M/S Three Star	Local	1x100 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N	N.A	N	No sample	35	Non-responsive	
	M/S Musaji Adam & Sons	Remel UK	1x100 Nos	10	0	4	0	0	0	0	0	5	10	5	Y	N	N.A	N	No sample	34	Non-responsive	
Blood Capillary Tubes 75mm (Na-heparinized) Germany																						
44	M/S Three Star	China	1x100 Pcs	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
ELISA Automated (Purchased)																						
HIV ELISA Kit																						
45	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	6	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	58	Responsive	
	M/S Popular International	Human Germany	1x96 T	10	0	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	47	Non-responsive	
HBV ELISA Kit																						
46	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	6	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	58	Responsive	
	M/S Popular International	Human Germany	1x96 T	10	0	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	47	Non-responsive	
Anti HCV ELISA Kit																						
47	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	6	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	58	Responsive	
	M/S Popular International	Human Germany	1x96 T	10	0	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	47	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	55	Non-responsive				

Two Fully Automated Latest Immunoassay Analyzer (Chemiluminescence) on Reagent/rental basis with UPS backup, printer, Computer system, AC 2 ton and all accessories, controls and calibrators. (Japan, USA, Europe, UK, Turkey & Singapur). FDA/CE Marked. (Haematology & Microbiology Sections)

48	HBs Ag. (ELISA) Kit with consumable accessories																						
	M/S A.M Healthcare	Cobas e 411, Roche	1x200 T	10	4	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	55	Non-responsive	
49	Anti HCV (ELISA) Kit with consumable accessories																						
	M/S A.M Healthcare	Cobas e 411, Roche	1x200 T	10	4	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	55	Non-responsive	
50	HIV (ELISA) Kit with consumable accessories																						
	M/S A.M Healthcare	Cobas e 411, Roche	1x200 T	10	4	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	55	Non-responsive	
51	Syphilis ELISA Kit with consumable accessories																						
	M/S A.M Healthcare	Cobas e 411, Roche	1x200 T	10	4	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	55	Non-responsive	

Latest, Brand New Automated Blood Culture System and Automated ID/AST System on Reagent Rental Basis with Accessories i.e Refrigerator, AC 2 ton, UPS (USA, Europe, Japan)

52	Latest, Brand New Automated Blood Culture System on Reagent Rental Basis (Paeds) PF PLUS (AEROBIC)																						
	M/S Global Marketing Services	bioMerieux, France	1x100 Bottles	10	6	4	4	4				5	5	10	5	Y	Y	Y	Already in Use	Approved	53	Responsive	
53	Latest, Brand New Automated Blood Culture System on Reagent Rental Basis (Adults) FA PLUS (AEROBIC)																						
	M/S Global Marketing Services	bioMerieux, France	1x100 Bottles	10	6	4	4	4				5	5	10	5	Y	Y	Y	Already in Use	Approved	53	Responsive	
54	Identification Cards																						
	M/S Global Marketing Services	bioMerieux, France	1x20 Cards	10	6	4	4	4				5	5	10	5	Y	Y	Y	Already in Use	Approved	53	Responsive	
55	Sensitivity Cards																						
	M/S Global Marketing Services	bioMerieux, France	1x20 Cards	10	6	4	4	4				5	5	10	5	Y	Y	Y	Already in Use	Approved	53	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

Miscellaneous Items

Antibiotic Sensitivity Discs (50 discs/vial) (Manual)																					
56	M/S Keyyani Medical Solution	Lifo, Italy	1x50 Nos	0	0	4	0	4	0	0	0	5	0	5	Y	N	N	Already in Use	Approved	18	Non-responsive
	M/S Three Star	Bioanalyse	1x50 Nos	10	0	4	4	4	0	0	5	5	10	5	Y	N	N	N	No sample	47	Non-responsive
	M/S Musaji Adam & Sons	Oxide UK	1x50 Discs	10	6	4	0	0	0	0	0	5	10	5	Y	Y	N	Already in Use	Approved	40	Non-responsive
Occult Blood Strips (Stool)																					
57	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25T	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N.A	Y	Approved	33	Non-responsive
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	30 T	10	2	4	4	4	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	49	Responsive
Automated ELISA System Tips (300 ul) (Evolis Twin Plus)																					
58	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	2	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	54	Responsive
Automated ELISA System Tips (1100 ul) (Evolis Twin Plus)																					
59	M/S Chemical House	Bio-Rad Laboratories, USA / France	1x96 T	10	2	4	4	4	0	0	5	5	10	10	Y	Y	Y	Already in Use	Approved	54	Responsive
Benedict's Solution (Reducing Substance)																					
60	M/S Musaji Adam & Sons	Daejung, Korea	500 ml	10	0	4	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	34	Non-responsive
Neubar Chamber (Imported, Germany)																					
61	M/S Three Star	Germany	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive
Wire Loop for Culture (Nichrome or Platinum)																					
62	M/S Keyyani Medical Solution	Local	1x1 No	0	0	0	0	0	0	0	0	5	0	5	N.A	N.A	N.A	Y	Approved	10	Non-responsive
Wire Loop Holder																					
63	M/S Keyyani Medical Solution	Local	1x1 No	0	0	0	0	0	0	0	0	5	0	5	N.A	N.A	N.A	Y	Approved	10	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
64	Spirit Lamp (Glass)																				NOT QUOTED	
65	Rapid One System (for identification of enterobacteriaceae)																					
	M/S Musaji Adam & Sons	Remel UK	1x20 T	10	0	4	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	34	Non-responsive	
66	Hitachi cups (ELISA)																					
	M/S Three Star	China	500 Nos	10	6	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	41	Non-responsive	
67	Sample Cups (2ml)																					
	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	500 Nos	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	China	500 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	35	Non-responsive	
	M/S Human Medical Services	China	1000 Nos	10	0	0	0	0	0	0	5	5	10	5	Y	N.A	N.A	Y	Approved	35	Non-responsive	
68	Disposable Urine Container Sterilized for urine culture																					
	M/S National Diagnostic Center	Local	1x1 No	10	4	0	0	0	0	0	0	5	10	5	N.A	Y	N.A	Already in Use	Approved	34	Non-responsive	
	M/S Three Star	Local	1x100 Nos	10	2	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	37	Non-responsive	
69	Blood Ager																					
	M/S Keyyani Medical Solution	Lifo, Italy	1x500 gm	0	0	4	0	4	0	0	0	5	0	5	Y	N	N	Y	Approved	18	Non-responsive	
	M/S Musaji Adam & Sons	Oxide UK	1x500 gm	10	6	4	0	0	0	0	0	5	10	5	Y	N	N	Already in Use	Approved	40	Non-responsive	
70	Oxidase reagent (Powder)																					
	M/S Musaji Adam & Sons	Alfa Aesar Germany	10 gm	10	0	4	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	34	Non-responsive	
71	Oxidase Strips																					
	M/S Musaji Adam & Sons	Oxide UK	1x50 Strips	10	0	4	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	34	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													

RT PCR Kits along with fully Automated Neuclic Acid Extractor:
Fully Automated extractor throughput > 32 smaples/Run Operation Time <30 Minutes Sample Volume 100-400 ul on Reagent Rental Basis.

Note:Large size refrigetrator to be provided with -20 degree for cold chain storage of kits.

HBV RTPCR Quantitative Kit																				
72	M/S Hoora Pharma	Sansure Biotech, China	48 T	10	2	0	4	4	0	0	5	5	10	15	Y	Y	Y			Rejected due to specification modification as desired by the Institution
	M/S Abdullah Traders	NLM Italy	48 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y			
	M/S Global Marketing Services	Sacace Biotechnology, Italy	1x96 T	10	10	4	4	4	0	0	5	5	3	5	Y	Y	Y			

HCV RTPCR Quantitative Kit																				
73	M/S Hoora Pharma	Sansure Biotech, China	48 T	10	2	0	4	4	0	0	5	5	10	15	Y	Y	Y			Rejected due to specification modification as desired by the Institution
	M/S Abdullah Traders	NLM Italy	48 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y			
	M/S Global Marketing Services	Sacace Biotechnology, Italy	1x96 T	10	10	4	4	4	0	0	5	5	3	5	Y	Y	Y			

Nucleic acid Extraction Kit with extractor																				
74	M/S Hoora Pharma	Genrui, China	96 T	10	2	0	4	4	0	0	5	5	10	15	Y	Y	Y			Rejected due to specification modification as desired by the Institution
	M/S Abdullah Traders	GeneAll Biotechnology Korea	96 T	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y			
	M/S Global Marketing Services	Tianlong, China	1x64 T	10	2	4	4	4	4	0	5	5	3	5	Y	Y	Y			

Consumables for PCR System:

Powder free Gloves																						
75	M/S Moon Enterprises	AXGlove Malaysia	100 Pcs	10	6	4	4	0	0	0	5	5	10	5	Y	Y	Y	Y	Rejected	49	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Disposable filter tips 100 µl																						
76	M/S National Diagnostic Center	CNWTC, China	10x96 Tips	10	6	4	4	4	0	0	0	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	48	Responsive	
	M/S Zaman Enterprises & Diagnostic	CNWTC, China	96 Tips	6	6	4	0	0	0	0	0	5	3	5	Y	Y	N.A	Y	Approved	29	Non-responsive	
	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	96 Tips	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	51	Responsive	
	M/S Human Medical Services	Service Bio, China	10x96 Tips	10	4	4	4	4	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	51	Responsive	
	M/S Musaji Adam & Sons	Axygen USA	96 Tips	10	0	4	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	34	Non-responsive	
Disposable filter tips 200 µl																						
77	M/S National Diagnostic Center	CNWTC, China	10x96 Tips	10	6	4	4	4	0	0	0	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	48	Responsive	
	M/S Zaman Enterprises & Diagnostic	Nest, China	96 Tips	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N.A	Y	Approved	33	Non-responsive	
	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	96 Tips	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	51	Responsive	
	M/S Human Medical Services	Service Bio, China	10x96 Tips	10	4	4	4	4	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	51	Responsive	
	M/S Musaji Adam & Sons	Axygen USA	96 Tips	10	0	4	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	34	Non-responsive	
Disposable filter tips 1000 µl																						
78	M/S National Diagnostic Center	CNWTC, China	10x96 Tips	10	6	4	4	4	0	0	0	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	48	Non-responsive	
	M/S Zaman Enterprises & Diagnostic	CNWTC, China	96 Tips	6	6	4	0	0	0	0	0	5	3	5	Y	Y	N.A	Y	Approved	29	Non-responsive	
	M/S Human Medical Services	Service Bio, China	10x96 Tips	10	6	4	4	4	0	0	5	5	10	5	Y	Y	N.A	Y	Approved	53	Responsive	
	M/S Musaji Adam & Sons	Local	96 Tips	10	0	0	0	0	0	0	0	5	10	5	N	N.A	N.A	N	No sample	30	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Sample Cups (Eppendorf cup 1.5 ml RNA DNA free) (Sterilized for PCR)																						
79	M/S Zaman Enterprises & Diagnostic	Nest, USA/China	500 Nos	6	0	4	4	4	0	0	0	5	3	5	Y	Y	N.A	Y	Apprvoed	31	Non-responsive	
	M/S Keyyani Medical Solution	Lifo, Italy	500 Nos	0	0	4	0	4	0	0	0	5	0	5	Y	N.A	N.A	Y	Apprvoed	18	Non-responsive	
	M/S Moon Enterprises	ImuMed,Hangzhou RollMed Co.,Ltd,China	500 Nos	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	51	Responsive	
	M/S Human Medical Services	China	500 Nos	10	6	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Apprvoed	41	Non-responsive	
	M/S Musaji Adam & Sons	Nest, China	500 Nos	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	
PCR reaction Tube 0.2 ml (specific for SaCycler), 1x8 Strips with Caps																						
80	M/S National Diagnostic Center	CNWTC, China	960 Nos	10	4	4	4	4	0	0	0	5	10	5	Y	Y	Y	Already in Use	Approved	46	Non-responsive	
	M/S Zaman Enterprises & Diagnostic	Nest, USA/China	500 Nos	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N.A	Y	Apprvoed	33	Non-responsive	
	M/S Human Medical Services	China	960 Nos	10	2	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Apprvoed	37	Non-responsive	
	M/S Global Marketing Services	Extra Gene	8x125 Strips	10	2	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	Y	Apprvoed	32	Non-responsive	
81	Pure Ethonal																				NOT QUOTED	
Micropipette fix 10 ul																						
82	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Apprvoed	48	Responsive	
	M/S Briogene Pvt Ltd	CAPP, Germany	1x1 No	10	6	0	4	4	0	0	5	5	10	15	Y	Y	Y	Prev. Evaluation	Apprvoed	59	Responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
	M/S Human Medical Services	Thermo Fisher, China	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Micropipettes adjustable imported (0.5-10 ul)																						
83	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Apprvoed	48	Responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
	M/S Human Medical Services	Thermo Fisher	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	
Micropipettes adjustable imported (10-100 ul)																						
84	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Apprvoed	48	Responsive	
	M/S Briogene Pvt Ltd	CAPP, Germany	1x1 No	10	6	0	4	4	0	0	5	5	10	15	Y	Y	Y	Prev. Evaluation	Apprvoed	59	Responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
	M/S Human Medical Services	Thermo Fisher	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	
Micropipette (Adjustable) 05-50µl																						
85	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Non-responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
	M/S Human Medical Services	Thermo Fisher	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

86 Micropipette (Adjustable) 20-200µl																					
M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Non-responsive	
M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
M/S Human Medical Services	Thermo Fisher	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	
M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	

87 Micropipette (Adjustable) 100-1000µl																					
M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Non-responsive	
M/S Briogene Pvt Ltd	CAPP, Germany	1x1 No	10	6	0	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	59	Non-responsive	
M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
M/S Human Medical Services	Thermo Fisher	1x1 No	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	51	Non-responsive	
M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	No sample	30	Non-responsive	

Latest Brand New fully Automated PCR System with Extraction, Master Mix Prepration & Amplification with all Consumables, Controls, Calibrations and Standards for Real Time PCR with throughput 96 Tests / 6 hour, Sensitivity < 15 IU / ml, with UPS, 1.5 ton AC & -20 Refrigerator on Reagent Rental Basis compatible for LIS connectivity (FDA, CE / IVD Approved). (USA, EUROPE, JAPAN, TURKEY)

88 HBV RTPCR Quantitative Kit																					
M/S Hoorra Pharma	Not mentioned	96 T	10	2	0	4	4	0	0	5	5	10	20	Y	Y	Y	N	No sample	60	Non-responsive	
M/S Briogene Pvt Ltd	QIAGEN, Germany	1x72 T	10	10	4	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	67	Non-responsive	
M/S Global Marketing Services	Hologic USA	1x100 T	10	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No sample	55	Non-responsive	

89 HCV RTPCR Quantitative Kit																					
M/S Hoorra Pharma	Not mentioned	96 T	10	2	0	4	4	0	0	5	5	10	20	Y	Y	Y	N	No sample	60	Non-responsive	
M/S Briogene Pvt Ltd	QIAGEN, Germany	1x72 T	10	10	4	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	67	Non-responsive	
M/S Global Marketing Services	Hologic USA	1x100 T	10	4	4	4	4	4	0	5	5	3	5	Y	Y	Y	N	No sample	48	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													

90	Nucleic acid Extraction Kit with extractor																				
	M/S Hoorra Pharma	Not mentioned	96 T	10	2	0	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	55	Non-responsive
	M/S Briogene Pvt Ltd	QIAGEN, Germany	96 T	10	10	4	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	67	Non-responsive
	M/S Global Marketing Services	Hologic USA	Not Mentioned	10	4	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No sample	55	Non-responsive

Haematology Section:

05 Latest Fully Automated 3-Part Haematology Analyzer on Reagent Rental Basis with UPS, Printer & Roller Mixer, AC 2 ton, Digital Cell Counter along with all accessories (Japan,USA,Europe, UK, Turkey & Singapur). FDA/CE Marked.

91	Complete Cell Packs along with all reagents required for Haematology Analyzer 3-Parts																				
	M/S BioMadics	Cellagone-3, Diagon Hungary / Europe	Diluent Lyse Cleaner	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	ES 60, Horiba France	Diluent 20 Ltr Lyse 1 Ltr MiniClean 1 Ltr	10	10	4	4	4	0	0	0	0	10	0	Y	Y	Y	Already in Use	Approved	42	Non-responsive
	M/S Diagnostic Medical Associate	Abacus 380, Diatron Hungary	Diluent 20 Ltr Lyse 1 Ltr Clean 1 Ltr	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	Prev. Experience	Approved	61	Responsive
	M/S A.H Traders	BT Pro-21, Bilimsel Tibbi Urunler Ltd, Turkey	Diluent 20 Ltr Cleaner 20 Ltr Lyse 01 Ltr	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive
M/S Popular International	Mission HA-360, Acon USA	Diluent 20 Ltr Cito Lyse 500 ml MI-PO Clean 50ml	10	0	4	4	4	4	0	5	5	10	5	Y	N	Y	N	No Evaluation	51	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Thermal Paper (Haem.Analyzer)																						
92	M/S BioMadics	Cellagone-3, Diagon Hungary / Europe	1x1 No	10	10	4	4	4			5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	57	Responsive	
	M/S Reaction Scientific Pvt. Ltd	Not mentioned	1x1 No	10	0	4	4	4	0	0	0	0	10	0	Y	N.A	Y	Already in Use	Approved	32	Non-responsive	
	M/S Diagnostic Medical Associate	Not mentioned	1x1 No	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	Prev. Experience	Approved	61	Responsive	
	M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	1x1 No	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Popular International	Local	1x1 No	10	0	4	4	4	4	0	5	5	10	5	N.A	N.A	N.A	N	No Evaluation	51	Non-responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive	
Quality Control Haematology Analyzer 3-Part, Low (FOC)																						
93	M/S BioMadics	Cellagone-3, Diagon Hungary / Europe	Not Mentioned	10	10	4	4	4			5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	57	Responsive	
	M/S Reaction Scientific Pvt. Ltd	ES 60, Horiba France	Not Mentioned	10	10	4	4	4	0	0	0	0	10	0	Y	Y	Y	Already in Use	Approved	42	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 380, Diatron Hungary	(Diacon Low) 1x3 ml	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	Prev. Experience	Approved	61	Responsive	
	M/S A.H Traders	BT Pro-21, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Popular International	Acon USA	Not Mentioned	10	0	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	51	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

Quality Control Haematology Analyzer 3-Part, Normal (FOC)																					
94	M/S BioMatics	Cellagone-3, Diagon Hungary / Europe	Not Mentioned	10	10	4	4	4			5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	ES 60, Horiba France	Not Mentioned	10	10	4	4	4	0	0	0	0	10	0	Y	Y	Y	Already in Use	Approved	42	Non-responsive
	M/S Diagnostic Medical Associate	Abacus 380, Diatron Hungary	(Diacon Normal) 1x3 ml	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	Prev. Experience	Approved	61	Responsive
	M/S A.H Traders	BT Pro-21, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive
	M/S Popular International	Acon USA	Not Mentioned	10	0	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	51	Non-responsive

Quality Control Haematology Analyzer 3 Part, High (FOC)																					
95	M/S BioMatics	Cellagone-3, Diagon Hungary / Europe	Not Mentioned	10	10	4	4	4			5	5	10	5	Y	Y	Y	Prev. Evaluation	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	ES 60, Horiba France	Not Mentioned	10	10	4	4	4	0	0	0	0	10	0	Y	Y	Y	Already in Use	Approved	42	Non-responsive
	M/S Diagnostic Medical Associate	Abacus 380, Diatron Hungary	(Diacon High) 1x3 ml	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	Prev. Experience	Approved	61	Responsive
	M/S A.H Traders	BT Pro-21, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive
	M/S Popular International	Acon USA	Not Mentioned	10	0	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	51	Non-responsive

Reagents of Haematology 3-Part Analyzer (Medonic M-series) (Purchased Instrument)

96	Cell Pack for Medonic with control and calibrator																			NOT QUOTED
----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

Latest Fully Automated Haematology Analyzer 5-Part on Reagent Rental Basis with Printer, UPS, Roller Mixer, AC2 ton, Digital Cell Counter along with all accessories (Japan, USA, Europe, UK, Turkey & Singapore). FDA/CE Marked

Complete Cell Packs along with all reagents required for Haematology Analyzer 5-Parts																					
97	M/S Reaction Scientific Pvt. Ltd	H500 / H550 Horiba France	Diluent ABX 20 Ltr Diff Lyse 1 Ltr Cleaner 1 Ltr	10	0	4	4	4		0	0	10	0	Y	N	Y	Y	Rejected	32	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 5, Diatron Hungary	Diatro Dil 5P 20ltr Diatro Lyse 5P 5ltr Diatro Diff 5P 1ltr	10	6	4	4	4	4	5	5	10	5	Y	Y	Y	N	No Evaluation	57	Non-responsive	
	M/S A.H Traders	BT Pro-2300, Bilimsef Tibbi Urunler Ltd, Turkey	Diluent 20 Ltr Sheath 20 Ltr Lyser 01 Ltr	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive
	M/S Popular International	Human Germany	Diluent 20 Ltr Lyser 200 ml Diff Lyse 500 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive
	M/S Briogene Pvt Ltd	SFRI, France	Diluent 20 Ltr Lyser 5 Ltr Quench 1 Ltr	10	6	4	0	4	0	0	5	5	10	15	Y	Y	Y	Y	Rejected	59	Non-responsive
	M/S A.M Healthcare	DXH-800, Beckman Coulter, USA / Ireland	Diluent 10 Ltr Diff.Lyse 2750 ml Lyse 1000 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

Cleaner/Cleaning Solution																					
98	M/S Reaction Scientific Pvt. Ltd	H500 / H550, Horiba France	MonoClair 500 ml	10	0	4	4	4		0	0	10	0	Y	N	Y	Y	Rejected	32	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 5, Diatron Hungary	Hypo Clean 100ml	10	6	4	4	4	4	5	5	10	5	Y	Y	Y	N	No Evaluation	57	Non-responsive	
	M/S A.H Traders	BT Pro-2300, Bilimsef Tibbi Urunler Ltd, Turkey	20 Ltr	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive
	M/S Popular International	Human Germany	1x50 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive
	M/S Briogene Pvt Ltd	SFRI, France	1x60 ml	10	6	4	0	4	0	0	5	5	10	15	Y	Y	Y	Y	Rejected	59	Non-responsive
	M/S A.M Healthcare	DXH-800, Beckman Coulter, USA / Ireland	1x5 Ltr	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
99	Quality Control Haematology Analyzer 5-Part, Low (FOC)																					
	M/S Reaction Scientific Pvt. Ltd	H500 / H550, Horiba France	Not Mentioned	10	0	4	4	4			0	0	10	0	Y	N	Y	Y	Rejected	32	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 5, Diatron Hungary	(Low) 1x3 ml	10	6	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	57	Non-responsive	
	M/S A.H Traders	BT Pro-2300, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Popular International	Human Germany	2x3x3 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive	
	M/S Briogene Pvt Ltd	SFRI, France	1x3 ml	10	6	4	0	4	0	0	5	5	10	15	Y	Y	Y	Y	Rejected	59	Non-responsive	
M/S A.M Healthcare	DXH-800, Beckman Coulter, USA / Ireland	6x3.5 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive		
100	Quality Control Haematology Analyzer 5-Part, Normal (FOC)																					
	M/S Reaction Scientific Pvt. Ltd	H500 / H550, Horiba France	Not Mentioned	10	0	4	4	4			0	0	10	0	Y	N	Y	Y	Rejected	32	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 5, Diatron Hungary	(Normal) 1x3 ml	10	6	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	57	Non-responsive	
	M/S A.H Traders	BT Pro-2300, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Popular International	Human Germany	2x3x3 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive	
	M/S Briogene Pvt Ltd	SFRI, France	1x3 ml	10	6	4	0	4	0	0	5	5	10	15	Y	Y	Y	Y	Rejected	59	Non-responsive	
M/S A.M Healthcare	DXH-800, Beckman Coulter, USA / Ireland	6x3.5 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive		
101	Quality Control Haematology Analyzer 5-art, High (FOC)																					
	M/S Reaction Scientific Pvt. Ltd	H500 / H550, Horiba France	Not Mentioned	10	0	4	4	4			0	0	10	0	Y	N	Y	Y	Rejected	32	Non-responsive	
	M/S Diagnostic Medical Associate	Abacus 5, Diatron Hungary	(High) 1x3 ml	10	6	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	57	Non-responsive	
	M/S A.H Traders	BT Pro-2300, Bilimsel Tibbi Urunler Ltd, Turkey	1x3 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Popular International	Human Germany	2x3x3 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive	
	M/S Briogene Pvt Ltd	SFRI, France	1x3 ml	10	6	4	0	4	0	0	5	5	10	15	Y	Y	Y	Y	Rejected	59	Non-responsive	
M/S A.M Healthcare	DXH-800, Beckman Coulter, USA / Ireland	6x3.5 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													

Latest Brand New Fully Automated Coagulation Analyzer with its accessories (Reagent/Rental Basis) With Printer, UPS, Controls, Calibrators, A Computer System and A Semi Automated Coagulation Analyzer with its accessories for backup (Japan,USA,Europe,UK, Turkey & Singapur).FDA/CE Marked.

PT (with reaction cups)																					
102	M/S BioMadics	COAG M, Diagon Hungary	Not Mentioned	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	Thrombolyzer Compact X, Bhenk Electronic Germany	12x8 ml (960 T)	10	0	0	4	4	0	0	0	0	10	0	Y	N	N	Y	Approved	28	Non-responsive
	M/S Popular International	Humaclot Pro, Human Germany	6x10 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive
	M/S A.M Healthcare	CA 600 Seimens Germany	10x10 ml (1000 T)	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
APTT with Calcium Chloride Kits (with reaction cups)																					
103	M/S BioMadics	COAG M, Diagon Hungary	Not Mentioned	10	10	4	4	4			5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	Thrombolyzer Compact X, Bhenk Electronic Germany	12x8 ml (1600 T)	10	0	0	4	4			0	0	10	0	Y	N	N	Y	Approved	28	Non-responsive
	M/S Popular International	Humaclot Pro, Human Germany	6x4 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive
	M/S A.M Healthcare	CA-600 Seimens Germany	10x10 ml (2000 T)	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
D.Dimer (with reaction cups)																					
104	M/S BioMadics	COAG M, Diagon Hungary	Not Mentioned	10	10	4	4	4			5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive
	M/S Reaction Scientific Pvt. Ltd	Thrombolyzer Compact X, Bhenk Electronic Germany	1x300 T	10	0	0	4	4			0	0	10	0	Y	N	N	Y	Approved	28	Non-responsive
	M/S Popular International	Humaclot Pro, Human Germany	2x1 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	49	Responsive
	M/S A.M Healthcare	CA-600Seimens Germany	180 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													

Reagents of Sysmex CA 660 Automated Blood Coagulation Analyzer (Purchased instrument)

The company will provide A Semi Automated Coagulate Analyzer with its accessories for backup and a UPS

Reaction Cups/Tubes																					
105	M/S A.M Healthcare	Seimens Germany	1x3000 Nos	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
C.A Clean																					
106	M/S A.M Healthcare	Seimens Germany	500 ml (2000 T)	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
PT Reagents																					
107	M/S A.M Healthcare	Seimens Germany	10x10 ml (1000 T)	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
APTT Reagents with Calcium Chloride																					
108	M/S A.M Healthcare	Seimens Germany	100x10 ml (2000 T) 10x15 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
Quality Control (Normal)																					
109	M/S A.M Healthcare	Seimens Germany	10x1 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive
Quality Control (High)																					
110	M/S A.M Healthcare	Seimens Germany	10x1 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive

Latest Fully Automated HB Electrophoresis reagent rental basis with Printer, UPS, along with all accessories (Japan,USA,Europe, UK, Turkey & Singapur). FDA/CE Marked.

111	HB Electrophoresis																				NOT QUOTED
-----	--------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

Miscellaneous Items

Giemsa Stain																					
112	M/S Three Star	Diachem	1x500 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive
	M/S Musaji Adam & Sons	Wellcosol	1x1 Ltr	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Reticulocyte Stain																						
113	M/S Three Star	Diachem	1x500 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
Prussian Blue Stain (Iron/Perl Stain)																						
114	M/S Three Star	Mediline	4x200 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
Sudan Black B Stain																						
115	M/S Three Star	Mediline	1x500 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	1x100 ml	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
Periodic Acid-Schiff Stain (PAS)																						
116	M/S Three Star	Mediline	3x200 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	1 Set	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
ESR Solution																						
117	M/S Three Star	Diachem	1x500 ml	10	4	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	39	Non-responsive	
ESR Stand (fast detector)																						
118	M/S Three Star	Local	1x1 No	10	4	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	N	No sample	39	Non-responsive	
ESR Tubes (fast detector)																						
119	M/S Meher Traders	WellMed, China	1x100 Nos	8	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	49	Non-responsive	
	M/S Moon Enterprises	ImuMed (Orsin), China	100 Nos	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	53	Responsive	
	M/S Three Star	BioVac, China	100 Nos	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	57	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	4	4	5	5	10	20										
EDTA Tubes																						
120	M/S Meher Traders	WellMed, China	1x100 Nos	8	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	49	Responsive	
	M/S Moon Enterprises	ImuMed (Orsin), China	1x100 Nos	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	57	Responsive	
	M/S Three Star	BioVac, China	100 Nos	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive	
PT, APTT Tubes																						
121	M/S Meher Traders	WellMed, China	1x100 Nos	8	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	49	Responsive	
	M/S Moon Enterprises	ImuMed (Orsin)	1x100 Nos	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	57	Responsive	
	M/S Three Star	BioVac, China	100 Nos	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive	
Cidar Wood Oil																						
122	M/S Three Star	SDL	500 ml	10	2	0	0	0	0	0	5	5	10	5	N	Y	N	N	No sample	37	Non-responsive	
	M/S Musaji Adam & Sons	Wellcosol	100 ml	10	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
123	Slide folder																				NOT QUOTED	
124	Slide boxes																				NOT QUOTED	
125	Thermometer Specific for Water Bath																				NOT QUOTED	
Blood Bank Annual Demand																						
Fully Automated, Latest Cross-Match System (On Reagent/Rental Basis) with all accessories Controls and Calibrators, AC 2 ton. (Japan,USA, Europe, UK, Turkey, Singapur) FDA/CE Marked.																						
Cross Match System																						
126	M/S Sind Medical Store	DiaMed Switzerland	112x12x6 (8064 T)	10	10	0	4	4	0	0	5	5	10	10	Y	Y	Y	Prev. Experience	Approved	58	Non-responsive	Subject to provision of Embassy Attested FSC
	M/S Briogene Pvt Ltd	ODAK Diagnostic, Turkey	50x8 T	10	6	4	4	4	0	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	63	Responsive	
	M/S Human Medical Services	Ortho UK	100 Cards (600 Tests)	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Previous Exp.	Apprvoed	49	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
Diluent																							
127	M/S Sind Medical Store	DiaMed Switzerland	1x500 ml	10	10	0	4	4	0	0	5	5	10	10	Y	Y	Y	Prev. Experience	Approved	58	Non-responsive	Subject to provision of Embassy Attested FSC	
	M/S Briogene Pvt Ltd	ODAK Turkey	1x500 ml	10	6	4	4	4	0	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	63	Responsive		
	M/S Human Medical Services	Ortho UK	1x500 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Previous Exp.	Approved	49	Responsive		
Manual Reagents																							
M.P (ICT)																							
128	M/S Zaman Enterprises & Diagnostic	CiTest Inc, Canada	25 T	6	2	4	4	4	0	0	0	5	3	5	Y	Y	N	Y	Rejected	33	Non-responsive		
	M/S Moon Enterprises	ImuMed, Healgen Scientific LLC, USA	40 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	N	Y	Approved	53	Responsive		
	M/S Three Star	Abbott Bioline	25 T	10	4	4	4	0	0	0	5	5	10	5	Y	Y	Y	Y	Approved	47	Non-responsive		
	M/S Human Medical Services	DS	1x1 T	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	Y	Rejected	35	Non-responsive		
22% Bovine Albumin																							
129	M/S Moon Enterprises	Atlas, Germany	10 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive		
	M/S Human Medical Services	Antec	Not Mentioned	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive		
Blood group reagents																							
130	M/S Moon Enterprises	Atlas, Germany	3x10 ml	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	57	Responsive		
	M/S Three Star	SBIO	3x10 ml	10	6	4	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	45	Non-responsive		
	M/S Human Medical Services	Victo Scient	3x10 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													

A.H.G Coombs Reagent																						
131	M/S Moon Enterprises	Atlas, Germany	10 ml	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Human Medical Services	Antec	10 ml	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive	

132	Anti A1 Lactin (for A1 & A2 Reagent for Blood Grouping)																				NOT QUOTED
-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

Chemical Pathology Section:

AUTOMATED CHEMISTRY ANALYZER WITH LIMS
Based on Photometry, TINIA and Indirect ISE on RR Basis with One Backup Instrument:
Throughput minimum 1200-1800 Tests/Hr with ISE, Built-in Refrigerator, Random & Continuous Access, Auto Dilution, Auto Repeat from Pre-Diluted Samples. Built-in QC Program, Up to 14 different Wave Length (300-884 nm), Reagent Position > 80, Sample Position > 80, Reaction Volume < 200 µl, Stat facility, Bar-coding, Clot Detection, Short Sample Detection, On Board Reagent Stability minimum 01 month, on Reagent Rental Basis with Reagent Grade Water Purification System, CE Marked / FDA / GMP Approved. With UPS (5 KVA), Swinging bucket Centrifuge with minimum 40 tubes capacity, Air conditioner 2 Ton, LaserJet Pro M-20 Printer, Refrigerator (2-8°C) and all necessary accessories, controls and calibrators. (Make: USA, Japan, Europe).
DISPOSABLES: All Disposable Items, Reaction Trays, Sample Cups, Tips and etc are included with the kits. No hidden accessories or hidden charges should be there or any other requirement of the instrument for its functionality will be free of charge.
Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the tests will be provided free of charge.
CONSUMABLES: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free off charges.

ALT (P5P)																						
133	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	3920 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x850 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Albumin																						
134	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4560 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	1x1700 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
ALP																						
135	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	3280 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x1200 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
α-Amylase																						
136	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	960 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x350 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
AST (P5P)																						
137	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	3920 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x850 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Calcium (Arsenazo)																						
138	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2800 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x2050 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Cholesterol																						
139	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	7320 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4X2100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
CK-MB																						
140	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	460 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	1x500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
CK (NAC)																						
141	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	920 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	3x332 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Creatinine Enzymatic																						
142	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	3960 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x1472 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Glucose																						
143	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	5200 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x1560 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
HbA1c (IFCC/NGSP Certified)																						
144	M/S A.M Healthcare	Diazyme USA	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	2x300 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
HbA1c Control (two levels)																						
145	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2x0.25 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	BioRad	12x5 ml	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
HbA1c Denature Reagent																						
146	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	1x50 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
HDL-Cholesterol Reagent Kit																						
147	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	1x740 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	Siemens Atellica CH 930	4x448 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Total Bilirubin																						
148	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	6280 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	Siemens Atellica CH 930	4x448 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Triglyceride																						
149	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	1x3000 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	Siemens Atellica CH 930	4x500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Urea																						
150	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4920 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x1560 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Uric Acid																						
151	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	1x2500 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x1200 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
hs-CRP																						
152	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4x380 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	2x500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Magnesium Kit																						
153	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	800 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x400 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Total Protein Reagent Kit																						
154	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	3000 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x1850 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Total Protein (Urine/CSF)																						
155	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Not Mentioned	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
LDH																						
156	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2560 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x448 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Phosphorus																						
157	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2360 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x1700 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Ammonia																						
158	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	186 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	4x120 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Copper																						
159	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	3x189 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder											Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)											a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"							
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R			
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
G6-PDH																						
160	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Cystatin C																						
161	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Iron																						
162	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2000 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x448 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
TIBC																						
163	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	960 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x200 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Lactate																						
164	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	220 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x95 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Lipase																						
165	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	720 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hooraa Pharma	Siemens Atellica CH 930	4x320 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Micro-Albumin																						
166	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	516 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	Siemens Atellica CH 930	4x210 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Zinc																						
167	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoora Pharma	Siemens Atellica CH 930	2x154 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Soluble Transferrin Receptors																						
168	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Stone Anlysis																						
169	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Keyyani Medical Solution	BEN srl, Italy	1x100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
Alpha-1-AT																						
170	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	0	5	5	10	5	20										

Drug of Abuse / Toxicology

Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge.

Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge.

Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

Amphetamine																					
171	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	380 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
Barbiturates																					
172	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
Benzodiazepines																					
173	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
Cannabinoids																					
174	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
Acetaminophen																					
175	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	350 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
Cocaine Metabolite																					
176	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	0	5	5	10	20												

Ethyl Alcohol																					
177	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	256 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Methadone																					
178	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Salicylates																					
179	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	350 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Tricyclic Antidepressants																					
180	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	295 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Opiates																					
181	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Therapeutic Drug Monitoring
Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge.
Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge.
Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

Carbamazepine																					
182	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	0	5	5	10	20												

Digoxin																					
183	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Levetiractem																					
184	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Phenobarbital																					
185	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Phenytoin																					
186	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	400 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Valproic Acid																					
187	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	330 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Kits / Reagents – ISE
Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge.
Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge.
Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

ISE Buffer																					
188	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4x2000 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
	M/S Hoora Pharma	Siemens Atellica CH 930	2x1.5 L	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
ISE Mid Standard																						
189	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4x2000 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	2X125 ML	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
ISE Reference																						
190	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	4x1000 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	1X4 Sensor	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
ISE Na / K Selectibity Check																						
191	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2x25 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	Not Mentioned (Include in Kit price)	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
ISE Internal Reference																						
192	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	2x25 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	Not Mentioned (Include in Kit price)	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
ISE Cleaning Solution																						
193	M/S A.M Healthcare	(AU-680) Beckman Coulter, USA / Ireland	6x500 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Hoorra Pharma	Siemens Atellica CH 930	Not Mentioned (Include in Kit price)	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	4	4	5	5	10	20										

Kits for Semi-Automatic Chemistry Analyzer:

Latest Brand New spectrophotometer (Semi-automatic) on Reagent Rental Basis with accessories (sinewave UPS) (Japan, Europe, USA, Germany) CE / FDA approved.

Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge.

Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge.

Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

Glucose Reagent Kit																					
194	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	1000 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive
	M/S Popular International	Human Germany	1000 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive
Urea Reagent Kit (Kinetic UV)																					
195	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive
	M/S Popular International	Human Germany	8x50 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive
Creatinine Reagent Kit																					
196	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive
	M/S Popular International	Human Germany	200 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive
Uric Acid Reagent Kit																					
197	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	2x100 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive
	M/S Popular International	Human Germany	4x100 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive
Cholesterol Reagent Kit																					
198	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	2x250 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Rejected	34	Non-responsive
	M/S Popular International	Human Germany	4x100 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Triglyceride Reagent Kit																						
199	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive	
	M/S Popular International	Human Germany	4x100 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Direct Bilirubin Reagent Kit																						
200	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	200 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Total Bilirubin Reagent Kit																						
201	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Rejected	34	Non-responsive	
	M/S Popular International	Human Germany	200 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
SGPT Reagent Kit																						
202	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive	
	M/S Popular International	Human Germany	4x250 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
SGOT Reagent Kit																						
203	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive	
	M/S Popular International	Human Germany	4x250 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Alkaline Phosphatase Reagent Kit																						
204	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	Y	Approved	34	Non-responsive	
	M/S Popular International	Human Germany	8x50 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Total Protein Reagent Kit																						
205	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	500 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	4x100 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Albumin Reagent Kit																						
206	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	500 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	4x100 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Gama GT																						
207	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	10x10 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Phosphorours Reagent Kit																						
208	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	300 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	1x200 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Serum Iron Reagent Kit																						
209	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	200 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	200 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	
Total Iron Binding Capacity (T.I.B.C.) Reagent Kit																						
210	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	200 Tests	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive	
	M/S Popular International	Human Germany	100 Tests	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

LDH																					
211	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	75 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive
	M/S Popular International	Human Germany	8x50 ml	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	51	Responsive

CSF Protein Reagent Kit																					
212	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	100 ml	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive

Hb.A I C Reagent																					
213	M/S Reaction Scientific Pvt. Ltd	Spinreact Spain	100 Tests	10	2	4	4	4	0	0	0	0	10	0	Y	Y	Y	N	No sample	34	Non-responsive
	M/S Popular International	Human Germany	1x100 T	10	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Rejected	51	Non-responsive

Two Latest Brand New Fully Automatic 3-Part Electrolyte Analyzers with Tray with UPS (2 KV PURE SINE WAVE), ISE principle and flexible configuration with low maintenance, QC & QC Data Storage for > 20 days, data record of reagent and consumable tests. Sample specification for Plasma, Serum, Urine, Flagging for abnormal values, Built-in Calibration may be offered on reagent rental basis (Make: USA, Japan, Europe). Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge. Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge. Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

REAGENT Pack																					
214	M/S Abdullah Traders	Fortress Diagnostic UK	1x1000 ml	10	10	4	0	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	57	Responsive
	M/S Popular International	Humalyte Plus-3, Human Germany	1x1000 ml	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	49	Non-responsive
	M/S Keyyani Medical Solution	Cortez Diag, USA	350x3 ml	0	0	0	0	0	4	0	0	5	0	5	Y	N	N	N	No Evaluation	14	Non-responsive
	M/S A.M Healthcare	Medica USA	800 ml (1250 T)	10	6	4	0	4	4	0	5	5	10	5	Y	Y	Y	Y	Rejected	53	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Cleaning Solution (FOC)																						
215	M/S Abdullah Traders	Fortress Diagnostic UK	1x100 ml	10	10	4	0	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	57	Responsive	
	M/S Popular International	Humalyute Plus-3, Human Germany	1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experienece	Rejected	49	Non-responsive	
	M/S Keyyani Medical Solution	Cortez Diag, USA	1 No	0	0	0	0	4	0	0	5	0	5	5	Y	N	N	N	No Evaluation	14	Non-responsive	
	M/S A.M Healthcare	Medica USA	1 No	10	6	4	0	4	4	0	5	5	10	5	Y	Y	Y	Y	Rejected	53	Non-responsive	
Quality Control (FOC) (With all three levels and Same Lot with Same Expiry Date on each Supply)																						
216	M/S Abdullah Traders	Fortress Diagnostic UK	1x5 ml	10	10	4	0	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	57	Responsive	
	M/S Popular International	Humalyute Plus-3, Human Germany	1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experienece	Rejected	49	Non-responsive	
	M/S Keyyani Medical Solution	Cortez Diag, USA	1 No	0	0	0	0	4	0	0	5	0	5	5	Y	N	N	N	No Evaluation	14	Non-responsive	
	M/S A.M Healthcare	Medica USA	1 No	10	6	4	0	4	4	0	5	5	10	5	Y	Y	Y	Y	Rejected	53	Non-responsive	
Thermal Printing Paper (FOC)																						
217	M/S Abdullah Traders	Local	1x1 No	10	N.A	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Already in Use	Approved	35	Responsive	
	M/S Popular International	Human Germany	1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Prev. Experienece	Rejected	49	Non-responsive	
	M/S Keyyani Medical Solution	Cortez Diag, USA	1 No	0	0	0	0	4	0	0	5	0	5	5	Y	N.A	N.A	N	No Evaluation	14	Non-responsive	
	M/S A.M Healthcare	Medica USA	1 No	10	6	4	0	4	4	0	5	5	10	5	Y	Y	N.A	Y	Rejected	53	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Sample Cup (As per Requirement) (FOC)																						
218	M/S Abdullah Traders	Imported	1 Pack	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	Already in Use	Approved	30	Responsive	
	M/S Popular International		1 No	10	0	0	0	0	0	0	0	5	10	5	N.A	N.A	N.A	Prev. Experienece	Rejected	30	Non-responsive	
	M/S Keyyani Medical Solution	Cortez Diag, USA	1x500 Nos	0	0	0	0	4	0	0	0	5	0	5	Y	N	N	N	No Evaluation	14	Non-responsive	
	M/S A.M Healthcare	Medica USA	1x500 Nos	10	6	4	0	4	4	0	5	5	10	5	Y	Y	N	Y	Rejected	53	Non-responsive	
219	All Consumables as required by the Instrument (FOC)																					
220	Diluent for Urine																			Not Quoted		
Consumable Items:																						
Yellow Tips for Micropipette																						
221	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	1000 Pcs	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	China	1000 Pcs	10	6	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	41	Non-responsive	
Blue Tips for Micropipette																						
222	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	500 Pcs	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	China	500 Pcs	10	6	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	41	Non-responsive	
Torniquote (button)																						
223	M/S Three Star	China	1x1 No	10	6	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	41	Non-responsive	
Centrifuge Tube Plastic 3" (Transparent, Plastic Conical)																						
224	M/S Three Star	China	500 Pcs	10	6	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	41	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Gel Test Tube 4ml																						
225	M/S Meher Traders	WellMed, China	1x100 Nos	8	4	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	No sample	49	Non-responsive	
	M/S Moon Enterprises	ImuMed (Orsin)	1x100 Nos	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	53	Responsive	
	M/S Three Star	BioVac, China	500 Pcs	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
Empty Tube (Red Cap)																						
226	M/S Meher Traders	WellMed, China	1x100 Nos	8	4	4	4	4	0	0	5	5	10	5	Y		Y	N	No sample	49	Responsive	
	M/S Three Star	BioVac, China	1x100 Nos	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
Sample Cups (0.5 ml)																						
227	M/S Three Star	China	1000 Nos	10	6	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Approved	41	Non-responsive	
	M/S Human Medical Services	China	1000 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	35	Non-responsive	
Disposable Syringe Cap (Stopper)																						
228	M/S National Diagnostic Center	Local	1x1000 Nos	10	4	0	0	0	0	0	0	5	10	5	N.A	Y	N.A	Already in Use	Apprvoed	34	Non-responsive	
	M/S Three Star	Local	1000 Nos	10	4	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	39	Non-responsive	
Serum Cups Electrolyte																						
229	M/S Human Medical Services	China	1000 Nos	10	4	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	39	Non-responsive	
Alcohol Swab																						
230	M/S Meher Traders	WellMed, China	1x200 Nos	8	4	4	4	4	0	0	5	5	10	5	Y		Y	Y	Apprvoed	49	Responsive	
	M/S Moon Enterprises	ImuMed, Hangzhou Rollmed Co, Ltd, China	1x200 Nos	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	53	Responsive	
	M/S Three Star	Pakistan	1x200 Nos	10	6	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	41	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Micropipette (Adjustable) 05-50µl																						
231	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Responsive	
	M/S Popular International	Human Germany	1x1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	Approved	49	Non-responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	Approved	35	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	Approved	30	Non-responsive	
Micropipette (Adjustable) 20-200µl																						
232	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Responsive	
	M/S Popular International	Human Germany	1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	Approved	49	Non-responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	Approved	35	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	Approved	30	Non-responsive	
Micropipette (Adjustable) 100-1000µl																						
233	M/S National Diagnostic Center	Bio-DL (Genex)	1x1 No	10	6	4	4	4	0	0	0	5	10	5	Y	Y	N.A	Already in Use	Approved	48	Responsive	
	M/S Popular International	Human Germany	1 No	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	N	Approved	49	Non-responsive	
	M/S Three Star	China	1x1 No	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	Approved	35	Non-responsive	
	M/S Musaji Adam & Sons	DragonLab	1x1 No	10	0	0	0	0	0	0	0	5	10	5	Y	N.A	N.A	N	Approved	30	Non-responsive	
Hormone Analyzer (Cobas e 411, Roche) (Purchased Instrument)																						
234	Elecsys Free T3 II																					
	M/S A.M Healthcare	Roche	200 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Elecsys FT3 Calset																						
235	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Free T4																						
236	M/S A.M Healthcare	Roche	200 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys FT4 Calset																						
237	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys TSH																						
238	M/S A.M Healthcare	Roche	200 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys TSH Calset																						
239	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys β-HCG																						
240	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys β-HCG Calset																						
241	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Prolactin																						
242	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Prolactin Calset																						
243	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Elecsys LH																						
244	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys LH Calset																						
245	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys FSH																						
246	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys FSH Calset																						
247	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Testosterone																						
248	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Testosterone Calset																						
249	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Troponin																						
250	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Troponin T Calset																						
251	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
CA19-9																						
252	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
Calset																							
253	M/S A.M Healthcare	Roche	1 Set	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys CA-125																							
254	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys CA-125 Calset																							
255	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys CEA																							
256	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys CEA Calset																							
257	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys PSA																							
258	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys PSA Calset																							
259	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys AFP																							
260	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys AFP Calset																							
261	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
Elecsys Ferritin																							
262	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys Ferritin Calset																							
263	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Pro-BNP																							
264	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Pro-BNP Calset																							
265	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Thyroglobulin-antigen																							
266	M/S A.M Healthcare	Roche	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Calset																							
267	M/S A.M Healthcare	Roche	1x10 Calibrator	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Control Sera:																							
Elecsys Precicontrol Universal (All levels are with Same Lot and with Same Expiry Date on each Supply)																							
268	M/S A.M Healthcare	Roche	2(2x3) ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys Precicontrol Tumor Marker (All levels are with Same Lot and with Same Expiry Date on each Supply)																							
269	M/S A.M Healthcare	Roche	2(2x3) ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		
Elecsys Precicontrol Cardic (All levels are with Same Lot and with Same Expiry Date on each Supply)																							
270	M/S A.M Healthcare	Roche	2(2x3) ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Elecsys Precicontrol Trop-T																						
271	M/S A.M Healthcare	Roche	4x2 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Assay Cups																						
272	M/S A.M Healthcare	Roche	60x60 Nos	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Assay Tips																						
273	M/S A.M Healthcare	Roche	30x120 Nos	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Clean Cell																						
274	M/S A.M Healthcare	Roche	6x380 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys Procel																						
275	M/S A.M Healthcare	Roche	6x380 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Elecsys System Wash																						
276	M/S A.M Healthcare	Roche	500 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Universal Diluant																						
277	M/S A.M Healthcare	Roche	2x18 ml	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Hitachi sample Cups																						
278	M/S A.M Healthcare	Roche	1x500 Nos	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
	M/S Keyyani Medical Solution	CNWTC, China	1x500 Nos	0	0	4	4	4	0	0	0	5	0	5	Y	N.A	Y	Y	Approved	22	Non-responsive	
	M/S Moon Enterprises	ImuMed/Hangzhou Co Ltd China	500 Pcs	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	49	Responsive	
	M/S Three Star	China	1X500 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	35	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Eppendorf (Tarpidoz) cups																						
279	M/S Moon Enterprises	ImuMed/hangzhou Co Ltd China	500 Pcs	10	2	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Apprvoed	49	Responsive	
	M/S Three Star	China	1x500 No	10	6	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Apprvoed	41	Non-responsive	
ISE Cleaning Solution																						
280	M/S A.M Healthcare	Roche	1x4 Bottles	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Measuring Cell																						
281	M/S A.M Healthcare	Roche	1x1 No	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
Water Reservoir Assay																						
282	M/S A.M Healthcare	Roche	1x1 No	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
FPC Cables (C21-Assay)																						
283	M/S A.M Healthcare	Roche	1x1 No	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

Electrochemiluminescence / Chemiluminescence Based Immunoassay Analyzer with Backup Instrument on Reagent Rental Basis with LIMS:
Throughput atleast 86 Tests / Hr with atleast 60 days onboard reagent stability. Use of < 5 Tests/Calibration. Clot detection. Assay Time/Test < 20 min. < 10 minutes STAT Application for Emergency Test. With Printer, UPS (3 KVA Pure SINE WAVE), Fixed angle Centrifuge with 12 tubes capacity, Airconditioner (2 Ton), Refrigerator (2-8°C) and all other accessories (Make: USA, Japan, Europe).
Disposables: All disposables, Reaction Trays, Sample Cups, Tips, etc are included with the kits. No hidden accessories or hidden charges should be there. Or any other requirement of the instrument for its functionality will be free of charge.
Calibrators, Control Sera, Standards are included in the kits or any other solution required for the analysis of the test will be provided free of charge.
Consumables: Wash Solutions, Detergents, Buffers or any other maintenance solution required by the instrument will be provided free of charge.

Free T3																					
284	M/S Hoorra Pharma	Siemens Atellica IMI 300	300 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

Free T4																					
285	M/S Hoorra Pharma	Siemens Atellica IMI 300	250 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

Hypersensitive TSH																					
286	M/S Hoorra Pharma	Siemens Atellica IMI 300	550 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Prolactin																						
287	M/S Hoorra Pharma	Siemens Atellica IMI 300	250 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
LH																						
288	M/S Hoorra Pharma	Siemens Atellica IMI 300	550 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
FSH																						
289	M/S Hoorra Pharma	Siemens Atellica IMI 300	950 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Testosterone II																						
290	M/S Hoorra Pharma	Siemens Atellica IMI 300	500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Trop I																						
291	M/S Hooraa Pharma	Siemens Atellica IMI 300	500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
CA-125-II																						
292	M/S Hooraa Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
CEA																						
293	M/S Hooraa Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Free PSA																						
294	M/S Hooraa Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)																		
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
AFP																						
295	M/S Hoorra Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Ferritin																						
296	M/S Hoorra Pharma	Siemens Atellica IMI 300	450 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Free β-HCG																						
297	M/S Hoorra Pharma	Siemens Atellica IMI 300	500 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Procalcitonin																						
298	M/S Hoorra Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
RBC Folate																						
299	M/S Hoorra Pharma	Siemens Atellica IMI 300	140 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Vitamin B-12																						
300	M/S Hoorra Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Anti CCP																						
301	M/S Hoorra Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	96 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
iPTH																						
302	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	61	Responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	No. evaluation	Rejected	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
Vitamin D (Total)																						
303	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
Insulin																						
304	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
ACTH																						
305	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	96 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Cortisol																						
306	M/S Hoora Pharma	Siemens Atellica IMI 300	250 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder											Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)											a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"							
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R			
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												
AMH																						
307	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Progesteron																						
308	M/S Hoora Pharma	Siemens Atellica IMI 300	90 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive	
SHBG																						
309	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Anti-TPO																						
310	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	
Anti-Thyroglobulin																						
311	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive	
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)									
10	10	4	4	4	4	4	5	5	10	20												

IgE Total																					
312	M/S Hoora Pharma	Not Mentioned	50 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	96 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

NT-Pro BNP																					
313	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive
	M/S Diagnostic Medical Associate	Ortho Clinical Diagnostics	100 Wells	10	10	4	4	4	4		5	5	10	5	Y	Y	Y	N	No Evaluation	61	Non-responsive

IL-6 Level																					
314	M/S Hoora Pharma	Siemens Atellica IMI 300	100 T	10	8	4	4	4	4	0	5	5	10	15	Y	Y	Y	Already in Use	Approved	69	Responsive
	M/S A.M Healthcare	Access-2 Beckmancoulter, USA / Ireland	100 T	10	10	4	4	4	4	0	5	5	10	5	Y	Y	Y	Prev. Experience	Rejected	61	Non-responsive

Histopathology Section:

Formaline																					
315	M/S Keyyani Medical Solution	Scharlau, Spain	1x2500 ml	0	0	4	0	0	0	0	0	5	0	5	N	N	N	Y	Apprvoed	14	Non-responsive
	M/S Human Medical Services	Sigma	2.5 Ltr	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive
	M/S Musaji Adam & Sons	Daejung, Korea	2.5 Ltr	10	0	4	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	34	Non-responsive

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										b) Authority Letter "AL" c) Product Experience "PE" d) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
Xylene																							
316	M/S Human Medical Services	Sigma	2.5 Ltr	10	0	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive	
	M/S Musaji Adam & Sons	Daejung, Korea	2.5 Ltr	10	2	4	0	0	0	0	0	0	5	10	5	Y	Y	N	N	No sample	36	Non-responsive	
Paraffine Wax Granular																							
317	M/S Musaji Adam & Sons	Poth Hille, UK	2 Kg	10	0	0	0	0	0	0	0	0	5	10	5	Y	N	N	N	No sample	30	Non-responsive	
Isopropyle Alcohol (100 % pure)																							
318	M/S Keyyani Medical Solution	Scharlau, Spain	1x2500 ml	0	0	4	0	0	0	0	0	0	5	0	5	N	N	N	Y	Apprvoed	14	Non-responsive	
	M/S Musaji Adam & Sons	Daejung, Korea	4 Ltr	10	6	4	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	45	Non-responsive	
	M/S Human Medical Services	Sigma	2.5 Ltr	10	0	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive	
DPX Mounting Media																							
319	M/S Musaji Adam & Sons	Scharlau, Spain	500 ml	10	0	4	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	39	Non-responsive	
	M/S Three Star	Cresent	500 ml	10	4	4	4	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	47	Non-responsive	
320	Glass slide with frosted end for Histopathology																				NOT QUOTED		
Cover Slip Glass 24x50																							
321	M/S Moon Enterprises	ImuMed/hangzhou Co Ltd China	1x100 Nos	10	6	4	4	4	0	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive	
	M/S Three Star	GmbH	1x100 Nos	10	6	0	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	Y	Apprvoed	41	Non-responsive	
322	Disposable Blade High Profile (LEICA 818)																				NOT QUOTED		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
323	Plastic Bottles with Nozzle (500ml)																						
	M/S Musaji Adam & Sons	Kartel Italy	1x1 No	10	2	0	0	0	0	0	5	5	10	5	Y	N	N	Already in Use	Approved	37	Non-responsive		
324	Diamond Pencil (Glass Marking)																						
	M/S Three Star	China	1x1 No	10	2	0	0	0	0	0	5	5	10	5	N.A	Y	N.A	N	No sample	37	Non-responsive		
325	Glass Staining Jars (for 30 slides)																						
	NOT QUOTED																						
326	Tissue processing capsule (plastic)																						
	NOT QUOTED																						
327	Tissue processing capsule (steel)																						
	NOT QUOTED																						
328	Embedding cassettes (plastic)																						
	M/S Keyyani Medical Solution	CNWTC, China	1x250 No	0	0	4	4	4	0	0	0	5	0	5	Y	N.A	Y	Y	Apprvoed	22	Non-responsive		
	M/S Musaji Adam & Sons	Kartel Italy	1x500 Packs	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive		
329	Harris Heamotaxline (ready to use)																						
	M/S Musaji Adam & Sons	Kartel Italy	1x1 Ltr	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive		
330	Pap stain (ready to use with long expiry)																						
	M/S Three Star	Medilline	1 Kit	10	0	0	4	4	0	0	5	5	10	5	Y	N	N	N	No sample	43	Non-responsive		
331	Ghomari stain (ready to use with long expiry)																						
	M/S Three Star	China	1x500 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive		
332	PAS Stain																						
	M/S Three Star	Medilline	3X200 ml	10	0	0	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	35	Non-responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
333	Tissue Marking Dye (Black)																			NOT QUOTED			
334	Tissue Marking Dye (Yellow)																			NOT QUOTED			
335	cinc-HCL																						
	M/S Musaji Adam & Sons	Kartel Italy	1 Kg (820 ml)	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive		
336	Strong Ammonia (Pure)																						
	M/S Musaji Adam & Sons	Daejung, Korea	1x4 Ltr	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive		
337	Acitic Acid																						
	M/S Musaji Adam & Sons	Daejung, Korea	2.5 Ltr	10	0	0	0	0	0	0	5	5	10	5	N	N	N	N	No sample	35	Non-responsive		
338	Slee Lowprofile Microtome blade																			NOT QUOTED			
339	Plasma Pheresis Kits + Compatible Reagent																						
	M/S Life Tec	Nigale, China	1 Kit	10	10	4	4	4	0	0	5	5	10	5	Y	Y	Y	Already in Use	Approved	57	Responsive		

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)										a) Authority Letter "AL" b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) FC	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
						ISO	CE	IVD	FDA	other	Audit Report	Bank Statement / Certificate	Tax Return (3 Yrs)										
10	10	4	4	4	4	4	5	5	10	20													
BSL-III LAB																							
Amplification Kit																							
340	M/S Abdullah Traders	NLM Italy	1x96 T	10	6	4	4	4	0	0	5	5	10	5	Y	Y	Y	Y	Approved	53	Responsive		
2 ml Screw Cap Tube (Orange Cap)																							
341	M/S Three Star	China	1x500 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	N	No sample	35	Non-responsive		
Nuclease Free Water																							
342	M/S Briogene Pvt Ltd	QIAGEN, Germany	1x100 ml	10	0	4	4	4	0	0	5	5	10	15	Y	Y	Y	N	No sample	57	Non-responsive		
Falcon Tubes (BSL-III)																							
343	M/S Three Star	China	1x50 Nos	10	0	0	0	0	0	0	5	5	10	5	N.A	N.A	N.A	Y	Approved	35	Non-responsive		
	M/S Musaji Adam & Sons	Axygen USA	25 Pcs	10	2	4	0	0	0	0	5	5	10	5	Y	N	N	N	No sample	41	Non-responsive		

MEDICAL SUPERNTENDENT
Sheikh Zayed Hospital,
Rahim Yar Khan