

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

Item-Wise Technical Comparative Statement for the Bulk Purchase of Surgical Disposable (Non-Drug) Items

Financial Year 2020-21.

BID EVALUATION CRITERIA

Tender Sr. No. 1

Name of Item-Absorbent Cotton Wool (BPC Pack 500gm)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Leader Asorbent Cotton Wool	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	5	5	R	36	Non Responsive
M/s. Karim Industries	Karim Industries	Absorbent cotton wool	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
Asian Fiber	Asian Fiber	Absorbent cotton wool	Y	Y	Y	Y	10	8	5	4	Y	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Absorbent cotton wool	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Umer Usman Surgical Cotton Ind.	Umer Usman	Y	N	N	Y Expired	8	5	5	6	Y Applied For	Y	Y	Y	Y	0	3	R	27	Non Responsive
M/s. Surgical Fiber	Surgical Fiber	Cotton	Y	Y	Y	N	8	5	5	8	Y	Y	Y	Y	Y	5	5	R	36	Non Responsive
M/s. Medicare Enterprises	Idcot Pharma	Cottonocracy	Y	Y	Y	N	8	5	5	8	Y MDME 000005	Y	Y	N	Y	5	5	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 2

Name of Item .Surgical Guaze Cloth (100cm x 30meter) (BPC Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Surgical Guaz BPC	Y	Y (DTL faild F.Y. 19-20	Y	Y	8	5	5	8	N	N	Y	Y	Y	0	3	R	29	Non Responsive
M/s. Karim Industries	Karim Industries	Absorbent Guaze	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Absorbent Guaze	Y	Y	Y	Y	10	8	5	4	Y	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Absorbent Guaze	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter
M/s. Surgical Fiber	Surgical Fiber	Guaze Roll	Y	Y	Y	N	8	5	5	8	N	N	Y	Y	Y	5	5	A	36	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 3

Name of Item . Sterilized Guaz Pad Size 10 cm x 10cm (BPC Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Asian Fiber	Asian Fiber	Guaze Pad	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Karim Industries	Karim Industries	Soft Guaze	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Guaze Pad	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	No Sample	Y	Y	5	5	subject to provision of sample	36	Non Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Pro Med Gauze	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter
M/s. Surgical Fiber	Surgical Fiber	Surqipore	Y	Y	Y	N	8	5	5	8	Y	Y	Y	Y	Y	5	3	R	34	Non Responsive
M/s. Arsons Pharma	Arsons Pharma	Care Gauze	Y	Y (DTL fail F.Y. 2019- 20	Y	Y	8	5	5	8	Applied For	Y	Y	Y	Y	5	5	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 4

Name of Item . Sterlized Abdominal Sponge (BPC Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PRC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Karim Industries	Karim Industries	Medi Lap Sponges 30cmx30cm	Y	Y	Y	Y	10	8	5	4	MDMR 000067	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Pro Med Lap spongs 30cmx30cm	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband 30cmx30cm	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 5

Name of Item- Bandage Plaster of Paris (BPC) Roll 10cm X 2.7 meter

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	R	41	Non Responsive
M/s. Essity Pakistan	Essity Pakistan (BSN)	Gypsona	Y	Y	Y	Y	8	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 6

Name of Item . Bandage Plaster of Paris (BPC) Roll 15cm X 2.7 meter

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	R	41	Non Responsive
M/s. Essity Pakistan	Essity Pakistan (BSN)	Gypsona	Y	Y	Y	Y	8	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 7

Name of Item . Cotton Bandage BPC Roll 6.5cm X 6 meter (Dozen Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Surgical Bandage	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	0	5	R	31	Non Responsive
M/s. Karim Industries	Karim Industries	Bandage Open wove	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Surgical Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 8

Name of Item . Cotton Bandage BPC Roll 10cm X 6meter (Dozen Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Surgical Bandage	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	0	5	R	31	Non Responsive
M/s. Karim Industries	Karim Industries	Bandage Open wove	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 9

Name of Item . Cotton Bandage BPC Roll 15cm X 6meter (Dozen Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Surgical Bandage	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	0	5	R	31	Non Responsive
M/s. Karim Industries	Karim Industries	Bandage Open wove	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 10

Name of Item . Cotton Crepe bandage B.P.C. 7.5cm x 4.5 m - Stretched

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Elastic cotton crepe	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	5	5	A	36	Responsive
M/s. Karim Industries	Karim Industries	Medi Crepe Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Bandage	Y	N	N	Y	10	8	5	4	Y Applied For	N	Y	N	Y	0	5	R	32	Non Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter
M/s. Surgical Fiber	Surgical Fiber	Crepe Bandage	Y	Y	Y	N	8	5	5	8	N	N	Y	Y	Y	5	3	R	34	Non Responsive
M/s. Essity Pakistan	Essity Pakistan (BSN)	Elastocrepe	Y	Y	Y	Y	8	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item. Cotton Crepe bandage B.P.C. 10cm x 4.5 m - Stretched

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Elastic cotton crepe	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	5	5	A	36	Responsive
M/s. Karim Industries	Karim Industries	Medi Crepe Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Bandage	Y	N	N	Y	10	8	5	4	Y Applied For	N	Y	N	Y	0	5	R	32	Non Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter
M/s. Surgical Fiber	Surgical Fiber	Crepe Bandage	Y	Y	Y	N	8	5	5	8	N	N	Y	Y	Y	5	3	R	34	Non Responsive
M/s. Essity Pakistan	Essity Pakistan (BSN)	Elastocrepe	Y	Y	Y	Y	8	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 12

Name of Item .Cotton Crepe bandage B.P.C. 15cm x 4.5 m - Stretched

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Elastic cotton crepe	Y	Y	Y	Y	8	5	5	8	Y Applied For	Y	Y	Y	Y	5	5	A	36	Responsive
M/s. Karim Industries	Karim Industries	Medi Crepe Bandage	Y	Y	Y	Y	10	8	5	4	Y Applied For	Y	Y	Y	Y	5	8	A	40	Responsive
M/s. Asian Fiber	Asian Fiber	Bandage	Y	N	N	Y	10	8	5	4	Y Applied For	N	Y	N	Y	0	5	R	32	Non Responsive
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	5	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	41	Responsive
M/s. 3Plus Pharma	Faisal Pharma	Steriband	Y	N	N	Y	8	5	5	0	Applied For	Y	Y	N	Y	0	3	A	21	Non Responsive due to non compliance of compulsory parameter
M/s. Surgical Fiber	Surgical Fiber	Crepe Bandage	Y	Y	Y	N	8	5	5	8	N	N	Y	Y	Y	5	3	R	34	Non Responsive
M/s. Essity Pakistan	Essity Pakistan (BSN)	Elastocrepe	Y	Y	Y	Y	8	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 13

Name of Item .Adhesive Transparent Surgical Tape Roll (Hypoallergenic) (all sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Saru International	Jiangxi 3L Medical China	Healthicon 7.5cm x 910cm	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive
M/s. New Majeed Medicine Company	Usman Enter	Nepore Surgical Tape (24/Roll) 1/2"x5 Yard 4.5M (12/Roll) 1/2"x5 Yard 4.5M (6/Roll) 2"x5 Yard 4.5M (4/Roll) 3"x5 Yard 4.5M (3/Roll) 4"x5 Yard 4.5M	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Arsons Pharma	Arsons Pharma	Multipore 3"x10y	Y	Not Applicable	Not Applicable	Y	8	5	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 14

Name of Item Adhesive Non-Woven Fabric surgical tape (all sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Saru International	Jiangxi 3L Medical China	Healthicon 10cm x 10m	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive
M/s. Arsons Pharma	Arsons Pharma	Fixopore 4" x 10y	Y	Not Applicable	Not Applicable	Y	8	5	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	36	Responsive
M/s. Imtiaz Brothers	Med Max Tech Hong Kong	Medpore 10cm x 10/1 Meter	Y	Not Applicable	Not Applicable	N	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Essity Pakistan	Essity Germany (BSN)	Fixomul Stretch	Y	Y	Y	Y	8	8	5	6	Y MDIE 0000012	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Meher Traders	Hunan Sanzhong China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	N	N	Y	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	J.J Medical Supplies China	Venous B Set 10cmx10m	Y	Not Applicable	Not Applicable	N	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 15

Name of Item . Adhesive Non-Woven Dressing (All sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Saru International	Jiangxi 3L Medical China	Healthicon	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive
M/s. Arsons Pharma	Arsons Pharma	Fixopore 4" x 5y	Y	Not Applicable	Not Applicable	Y	8	5	5	8	Not Applicable	Not Applicable	N	Y	Y	5	5	R	36	Non Responsive
M/s. Essity Pakistan	Essity Germany (BSN)	Leukomed 10cm x 8cm 15cm x 8cm 20cm x 10cm 25cm x 10cm 30cm x 10cm	Y	Y	Y	Y	8	8	5	6	Y MDIE 0000011	Y	Y	Y	Y	5	5	A	37	Responsive
M/s. Meher Traders	Hunan Sanzhong China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Ashraf Nadeem Medicine Company	Venous Best Chna	Venous Best	Y	Not Applicable	Not Applicable	N	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compulsory parameter

BID EVALUATION CRITERIA

Tender Sr. No. 16

Name of Item .Autoclaving Tape

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Jamil Traders	SP Medical Turkey	Sterintech	Y	Not Applicable	Not Applicable	N	6	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	11	Non Responsive due to non compliance of compulsory parameter
M/s. Modern Medical Instruments	Furo Clinical Italy	Steam Adhesive Tape	Y	Not Applicable	Not Applicable	N	2	5	0	0	Not Applicable	Not Applicable	Y	N	N	0	3	A	10	Non Responsive
M/s. Cardiac Care	E-Line Italy	E-Line	Y	Not Applicable	Not Applicable	N	8	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	3	R	16	Non Responsive
M/s. Meher Traders	Anqing Qanminga China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 17

Name of Item .Baby Cord Clamp (Sterlized Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Cord Clamp	Y	Not Applicable	Not Applicable	Y	10	5	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	41	Responsive
M/s. Care & Cure	Yangzhou Golden Well Medical Devices China	Cure	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIR 0001684	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Imtiaz Brothers	Yangzhou Lianda Medical China	Umbilical Cord Clamp	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	Y	N	5	3	A	29	Non Responsive
M/s. Meher Traders	Tianjin Grand Paper China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	R	35	Non Responsive

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 18

Name of Item . Bone Wax 2.5g

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Popular International	Covidien	Bone Wax	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 19

Name of Item .C. T. G. Roll 4305

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS"))				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 20

Name of Item .C. T. G. Roll BT 300

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R")	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicabl e	Not Applicable	Not Applica ble	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	Not Required by end user	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 21

Name of Item . C. T. G. Roll BF-12

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	Not Required by end user	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 22

Name of Item .C. T. G. Roll OXY FM 100

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 23

Name of Item . ECG Z Fold

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 24

Name of Item .ECG Printing Paper Roll Single Chennai

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. Meher Traders	Tianjin Grand Paper China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 25

Name of Item :ECG Printing Paper Roll Three Chennai 63mm/ 65mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. Meher Traders	Tianjin Grand Paper China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 26

Name of Item .ECG Printing Paper Roll Three Chennai 80mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	EF Medica S.R.I	EF	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. Meher Traders	Tianjin Grand Paper China	Wellmed	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 27

Name of Item .Cauty Leads Disposable

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. 3Plus Pharma	Emmay Health System	EHS Diathermy	Y	Not Applicable	Not Applicable	N	8	5	5	2	Not Applicable	Not Applicable	Y	N	N	0	0	R	20	Non Responsive
M/s. Cardiac Care	Fiab Italy	Fiab	Y	Not Applicable	Not Applicable	Y	8	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. FM Health Care	Xmed China	X Med	Y	Not Applicable	Not Applicable	N	6	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	11	Non Responsive due to non compliance of compulsory parameter
M/s. Meher Traders	Tianjin Grand Paper China	Wellmed	Y	Not Applicable	Not Applicable	N	6	5	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	19	Non Responsive
M/s. Waseem Brothers	Hua Tong China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 28

Name of Item . Colostomy Bags Single Piece System with Tail Closure / Clamp

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Convatec	Active Life Custom cut + surfit active tail closure	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Applied For	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. Care & Cure	Coloplast Denmark / Innovate Medical	Ostomy Bag single piece system with tail closure / clamp	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Applied For	Not Applicable	Y	Y	Y	5	0	R	32	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Bao-Health	single piece system with tail closure	Y	Not Applicable	Not Applicable	Y	4	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 29

Name of Item .Disposable Airways 0 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 30

Name of Item . Disposable Airways 00 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 31

Name of Item . Disposable Airways 1 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 32

Name of Item . Disposable Airways 2 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 33

Name of Item . Disposable Airways 3 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 34

Name of Item Disposable Airways 5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000060	Y	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	Y	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Y Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

Total Marks = 53
Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 35

Name of Item .Laryngeal Mask Airway (all sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Solus Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0000948	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	N	Y	N	N	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Emedical	Laryngeal mask air way	Y	Not Applicable	Not Applicable	Y	4	0	5	0	N	N	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compulsory parameter
M/s. Waseem Brothers	Foyomed China	Wasco (disposable) (reusable)	Y	Not Applicable	Not Applicable	Y	8	8	5	6	N	N	Y	Y	Y	5	3	A	35	Non Responsive subject to provision / clarification regarding DRC
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	5	R	39	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 36

Name of Item .Epidural Set

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Ashraf Nadeem Medicine Company	Freesia Enter Canack	Canack	Y	Not Applicable	Not Applicable	Y	4	8	5	0	Not Applicable	Not Applicable	No sample	Y	Y	5	0	subject to provision of sample & required documents	22	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 37

Name of Item . Nebulizer Kit

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)		Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Cirrus Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0001317	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Imtiaz Brothers	Anhui Ganor Medical China	Max	Y	Not Applicable	Not Applicable	N	8	8	5	0	N	N	Y	N	N	5	3	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	N	No sample	N	Y	5	8	subject to provision of sample	36	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead Adult / Peads	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	N	Y	N	Y	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Emedical	Nebulizer kit	Y	Not Applicable	Not Applicable	Y	4	8	5	0	N	N	No sample	Y	Y	5	0	subject to provision of sample	22	Non Responsive due to non compliance of compulsory parameter
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	N	N	Y	Y	Y	5	3	R	35	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	5	A	39	Non Responsive subject to provision / clarification regarding DRC

BID EVALUATION CRITERIA

Tender Sr. No. 38

Name of Item Disposable Breathing Circuit

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical UK	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	MDIE 0001313	N	Y	Y	Y	5	5	A	39	Responsive
M/s. Hospicare System	Covidien AG grup USA	Covidien	Y	Not Applicable	Not Applicable	Y	0	8	5	0	N	N	Y	N	Y	0	0	A	13	Non Responsive due to non compliance of compulsory parameter
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	N	Y	N	Y	5	8	A	36	Non Responsive due to non compliance of compulsory parameter
M/s. Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	N	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Emedical	Breathing circuit	Y	Not Applicable	Not Applicable	Y	4	0	5	0	N	N	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compulsory parameter
M/s. Waseem Brothers	China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	N	N	Y	Y	Y	5	3	R	35	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed with bag / without bag	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	A	36	Non Responsive subject to provision / clarification regarding DRC

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 39

Name of Item .HME Filter

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			
M/s. Sadqain Health Care	Intersurgical UK Lithuania	Inter Therm HME Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	N	N	Y	Y	Y	5	5	subject to provision of sample with bacterial & viral filter	39	Non Responsive
M/s. Hospicare System	Covidien AG grup USA	Covidien	Y	Not Applicable	Not Applicable	Y	0	8	5	0	N	N	Y	N	Y	0	0		13	Non Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	N	N	Y	N	Y	5	8		36	Non Responsive
M/s. FM Health Care	Well Lead China	Well Lead Standard	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	N	Y	N	N	0	3		22	Non Responsive
M/s. Ashraf Nadeem Medicine Company		Shelter Breathing Filter	Y	Not Applicable	Not Applicable	Y	4	0	5	0	N	N	Y	N	N	0	0		9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3		36	Non Responsive

BID EVALUATION CRITERIA

Tender Sr. No. 40

Name of Item .Disposable Auto Suture Skin Stapler (with remover FOC)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sind Medical Store	Changzhou Lookmed China	Lookmed	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	7	A	35	Responsive
M/s. Popular International	Covidien	Kagdi Skin Stapler with remover	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 41

Name of Item . Disposable Chest Electrode (Adult Size)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cardiac Care	Fiab Italy	Fiab	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Shanghai Yuechen Medical China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive subject to provision of required documents
M/s. Waseem Brothers	Qingdao Bright China	My Heart	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Hakimsons Pvt Ltd.	China Qindgao Britht / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 42

Name of Item Disposable Chest Electrode (Paeds Size)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cardiac Care	Fiab Italy	Fiab	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Shanghai Yuechen Medical China	Wellmed	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive subject to provision of required documents
M/s. Hakimsons Pvt Ltd.	China Qindgao Brithi / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 43

Name of Item .Surgical Disposable Standard Sterilized Gown with

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Samad Rubber Works Pvt Ltd.	Surgical Gown	SRW SG-102 BC-100 S-100	Not Applicable	Not Applicable	Not Applicable	Not Applicable	4	8	5	6	Not Applicable	Not Applicable	Y	N	Not Applicable	0	2	R	25	Non Responsive
M/s. Jamil Traders	Local / Promark	Uni Gown Standard	Not Applicable	Not Applicable	Not Applicable	Not Applicable	6	8	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	0	A	19	Non Responsive subject to provision of required documents
M/s. 3 Plus Pharma	Emmay Health System	Endure	Not Applicable	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	R	23	Non Responsive
M/s. Meher Traders	Xiantao Daoqi China	Wellmed	Not Applicable	Not Applicable	Not Applicable	Not Applicable	6	5	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Local	Surgical Disposale Gown	Not Applicable	Not Applicable	Not Applicable	Not Applicable	4	0	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	0	A	9	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 44

Name of Item . Sterilized / water proof medical disposable protective clothing for covid-19 outbreak

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Jamil Traders	Local / Promark	Coverall	Not Applicable	Not Applicable	Not Applicable	Not Applicable	6	8	5	0	Not Applicable	Not Applicable	Y	N	Not Applica ble	0	0	A	19	Non Responsive subject to provision of required documents
M/s. Samad Rubber Works Pvt Ltd.	M/s. Samad Rubber Works Pvt Ltd.	Samad Coverall SRW SC-101	Not Applicable	Not Applicable	Not Applicable	Not Applicable	4	8	5	6	Not Applicable	Not Applicable	Y	N	Not Applica ble	0	2	A	25	Non Responsive subject to provision of required documents

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 45

Name of Item . N95/KN95 (without respirator) or Equivalence / recognized by international certification approved by NDMA

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R" ,)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Zhejiang Kekang Medical China	KN 95	Y	Not Applicable	Not Applicable	Not Applicable	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive
M/s. Ashraf Nadeem Medicine Company	China		Y	Not Applicable	Not Applicable	Not Applicable	4	0	5	0	Not Applicable	Not Applicable	N	N	N	0	0	R	9	Non Responsive subject to provision of required documents

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 46

Name of Item . Glycerine Pure Per Kg.

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualifica tion status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Glycerine Liquid	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	8	Not Applicable	Not Applicable	Y	Y	Not Applicable	0	5	A		Responsive	
M/s. Mallard Pharma	Mallard Pharma	Glycerine Liquid	Y	Not Applicable	Not Applicable	Not Applicable	4	5	5	8	Not Applicable	Not Applicable	Y	Y	Not Applicable	0	3	A		Responsive	
M/s. Al-Ghani Traders	Local	Glycerine Liquid	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	8	Not Applicable	Not Applicable	Y	N	Not Applicable	0	8	A		Responsive	

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 47

Name of Item . Paraffin Liquid 400ml /450ml

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualifica tion status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
M/s. Kohinoor Indu.	Kohinoor Ind. Pakistan	Paraffin Liquid	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	8	Not Applicable	Not Applicable	Y	Y	Not Applicable	0	5	A		Responsive	
M/s. Mallard Pharma	Mallard Pharma	Paraffin Liquid	Y	Not Applicable	Not Applicable	Not Applicable	4	5	5	8	Not Applicable	Not Applicable	Y	Y	Not Applicable	0	3	A		Responsive	
M/s. Al-Ghani Traders	Western Chemical Karachi	Paraffin Liquid	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	8	Not Applicable	Not Applicable	Y	N	Not Applicable	0	8	A		Responsive	

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 48

Name of Item .Haemostatic Absorbable Gelatin Sponge 7 x 5 x 1cm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Saru International	Yucel Medikal Turkey	Clinisponge	Y	Not Applicable	Not Applicable	Y	8	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. FM Health Care	Monarch UK/China	Monarch	Y	Not Applicable	Not Applicable	N	6	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	11	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 49

Name of Item .Hemorrhoidal Bands

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualifica tion status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53
Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 50

Name of Item Hydrogen Per Oxide Sol. 450ml/ 400ml

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualifica tion status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 51

Name of Item . IV Fluid Regulator

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Chilecom Medical China	B-Flow	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Not Applicable	Y	N	N	5	0	R	18	Non Responsive
M/s. Waseem Brothers	China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	35	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 52

Name of Item . E.C.G. / Ultrasound Gell 5 KG Can with applicator, nozzle bottle

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Skardu Surgical	Aquasonic 100 USA	Parker	Not Applicable	Not Applicable	Not Applicable	Not Applicable	10	8	5	0	Not Applicable	Not Applicable	Y	Y	Not Applicable	5	8	A	36	Responsive
M/s. 3 Plus Pharma	Emmay Health System	Ultra Gel	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	0	A	20	Non Responsive subject to provision of required documents
M/s. Al-Ghan Traders	Aqua Plus	Gel	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	8	Not Applicable	Not Applicable	Y	Y	Not Applicable	0	12	A	38	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 53

Name of Item . Endotracheal Tube Non Cuffed Sizes 2.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 54

Name of Item Endotracheal Tube Non Cuffed Sizes 3 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimeid Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Qualifying Marks = 65% (35)

Total Marks = 53

BID EVALUATION CRITERIA

Tender Sr. No. 55

Name of Item . Endotracheal Tube Non Cuffed Sizes 3.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R")	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

BID EVALUATION CRITERIA

Tender Sr. No. 56

Name of Item .Endotracheal Tube Non Cuffed Sizes 4 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 57

Name of Item . Endotracheal Tube Non Cuffed Sizes 4.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

BID EVALUATION CRITERIA

Tender Sr. No. 58

Name of Item . Endotracheal Tube Non Cuffed Sizes 5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

BID EVALUATION CRITERIA

Tender Sr. No. 59

Name of Item . Endotracheal Tube Cuffed Sizes, 5.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53
Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 60

Name of Item . Endotracheal Tube Cuffed Sizes, 6 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 61

Name of Item Endotracheal Tube Cuffed Sizes, 6.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med sample K&K	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 62

Name of Item . Endotracheal Tube Cuffed Sizes, 7 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimed Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 63

Name of Item . Endotracheal Tube Cuffed Sizes 7.5 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			A/R
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	No Sample	Y	Y	5	3	subject to provision of sample	27	Non Responsive due to non compliance of compulsory parameter
M/s. Medilink Traders	Chilecom Medical China	Endosoft	Y	Not Applicable	Not Applicable	Y	0	8	5	0	Y Applied For	Y	Y	N	N	5	0	R	18	Non Responsive
M/s. Hospicare System	Covidien AG group USA	Covidien	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	Y	Y	N	Y	5	5	A	29	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	8	Applied For	Y	Y	Y	Y	5	3	A	35	Responsive
M/s. Meher Traders	Nanchang Kaimeid Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	N	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Ashraf Nadeem Medicine Company	Venous Disposable	ETT	Y	Not Applicable	Not Applicable	N	4	0	5	0	N	N	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 64

Name of Item . Endotreacheal Tube Double Lumen Left Sided 37 Fr. & 35 Fr. 28 Fr. (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Hospicare System	Covidien AG group USA	Covidien 35Ffr/37Fr	Y	Not Applicable	Not Applicable	Y	6	8	5	0	N	N	Y	N	Y	5	3	A	27	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	Well Lead China	Well Lead 37Fr	Y	Not Applicable	Not Applicable	N	6	8	5	0	Y Applied For	Y	Y	N	N	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed 28Fr 35Fr 37Fr	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	A	36	Non Responsive subject to provision / clarification regarding DRC

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 65

Name of Item . Nasogastric Tube Size 4 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Feeding Tube	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	Y	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 66

Name of Item . Nasogastric Tube Size 6 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Feeding Tube	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsnons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 67

Name of Item . Nasogastric Tube Size 8 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Feeding Tube	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 68

Name of Item . Nasogastric Tube Size 10 (Short length) (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Feeding Tube	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	N	Y	Y	Y	5	3	R	37	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

BID EVALUATION CRITERIA

Tender Sr. No. 69

Name of Item . Nasogastric Tube Size 10 (Long length) (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Feeding Tube	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 70

Name of Item . Nasogastric Tube Size 12 (long length) (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS"))				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nasogastric catheter	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 71

Name of Item .Nasogastric Tube Size 14 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nasogastric catheter	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 72

Name of Item . Nasogastric Tube Size 16 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nasogastric catheter	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53
Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 73

Name of Item . Nasogastric Tube Size 18 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nasogastric catheter	Y	Not Applicable	Not Applicable	N	4	8	5	8	Y Applied For	Y	Y	N	N	5	0	R	30	Non Responsive
M/s. Cardiac Care	Pahsco, Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	MDIR 0001647	Y	Y	N	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	N	Y	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 74

Name of Item . Nelton Drain Catheter No. 8 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 75

Name of Item Nelton Drain Catheter No. 10 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 76

Name of Item . Nelton Drain Catheter No.12 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Imtiaz Brothers	Anhui Ganor Medical China	Max	Y	Not Applicable	Not Applicable	N	8	8	5	0	N	N	Y	N	N	5	3	R	29	Non Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 77

Name of Item . Nelton Drain Catheter No. 14 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. Imtiaz Brothers	Anhui Ganor Medical China	Max	Y	Not Applicable	Not Applicable	N	8	8	5	0	N	N	Y	N	N	5	3	R	29	Non Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 78

Name of Item . Nelton Drain Catheter No.16 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	N	Y	Y	Y	Y	5	3	R	27	Non Responsive
M/s. Medilink Traders	Bicakilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 79

Name of Item . Nelton Drain Catheter No.18 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 80

Name of Item . Nelton Drain Catheter No.20 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 81

Name of Item .Nelton Drain Catheter No.22 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 82

Name of Item . Nelton Drain Catheter No.24 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	Nelton catheter	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Y Applied For	Y	Y	Y	Y	5	8	A	38	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Applied For	Y	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 83

Name of Item . Nelton Drain Catheter No. 26 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Y Applied For	Y	Y	Y	Y	5	5	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive subject to provision / clarification regarding DRC

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 84

Name of Item: Nelton Drain Catheter No. 28 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applica ble	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 85

Name of Item . Nelton Drain Catheter No. 30 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 86

Name of Item Nelton Drain Catheter No. 32 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Hakimsons Pvt Ltd.	Jiangsu Suyun Medical / China	Med Suyun	Y	Not Applicable	Not Applicable	Y	8	8	5	4	N	Y	Y	Y	Y	5	5	A	35	Non Responsive due to non compliance of compulsory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 87

Name of Item Oxygen Mask (Adult)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Eco, adult Intersurgical	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compusory parameter
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	Oxygen Mask	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	9	Non Responsive
M/s. Waseem Brothers	China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 88

Name of Item . Oxygen Mask (Peads)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical Lithuania	Ecolite Intersurgical	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compusory parameter
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	Oxygen Mask	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	9	Non Responsive
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 89

Name of Item . Oxygen Nasal Canula with double prongs (Adult)'

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical China	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compusory parameter
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	Oxygen canula	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compusory parameter
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 90

Name of Item . Oxygen Nasal Canula with double prongs (Paeds)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Meher Traders	Ningbo Greatmountain China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	22	Non Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Sadqain Health Care	Intersurgical China	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	5	R	39	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	Oxygen canula	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compusory parameter
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 91

Name of Item .Oxygen Nasal Canula Neonate

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			A/R
M/s. Sadqain Health Care	Intersurgical China	Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	5	R	39	Responsive
M/s. Cardiac Care	Hsiner Taiwan	Hsiner	Y	Not Applicable	Not Applicable	N	8	8	5	2	Not Applicable	Not Applicable	Y	N	Y	5	8	R	36	Non Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	38	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Well Med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	Oxygen canula	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compusory parameter
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 92

Name of Item . Poly Sling (Adult)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. 3 Plus Pharma	Emmay Health System	Poly Sling	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Al-Ghan Traders	Gul Sons Karachi	Poly Sling	Y	Not Applicable	Not Applicable	Not Applicable	8	0	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Meher Traders	Local	Well Med	Y	Not Applicable	Not Applicable	Not Applicable	6	0	5	0	Applied For	Not Applicable	No sample	N	Not Applicable	0	3			subject to provision of sample and required documetns

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 93

Name of Item Poly Sling (Children)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. 3 Plus Pharma	Emmay Health System	Poly Sling	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Al-Ghan Traders	Gul Sons Karachi	Poly Sling	Y	Not Applicable	Not Applicable	Not Applicable	8	0	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Meher Traders	Local	Well Med	Y	Not Applicable	Not Applicable	Not Applicable	6	0	5	0	Applied For	Not Applicable	No sample	N	Not Applicable	0	3			subject to provision of sample and required documetns

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 94

Name of Item . Skin Traction (for Adult)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. 3 Plus Pharma	Emmay Health System	Skin Traction	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Al-Ghan Traders	J Kare Karachi	Skin Traction	Y	Not Applicable	Not Applicable	Not Applicable	8	0	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	R		Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 95

Name of Item . Skin Traction (for child)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. 3 Plus Pharma	Emmay Health System	Ultra Gel	Y	Not Applicable	Not Applicable	Not Applicable	8	5	5	2	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	A		Responsive
M/s. Al-Ghan Traders	J Kare Karachi	Skin Traction	Y	Not Applicable	Not Applicable	Not Applicable	8	0	5	0	Not Applicable	Not Applicable	Y	N	Not Applicable	0	3	R		Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 96

Name of Item . Soda Lime (CO2 Absorbant) 4.5Kg/Can, USP

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sadqain Health Care	Intersurgical UK	Inersorb Intersurgical	Y	Not Applicable	Not Applicable	Y	10	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	39	Responsive
M/s. Ashraf Nadeem Medicine Company	Emedical Xygen Mask	soda lime	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compusory parameter
M/s. Hakimsons Pvt Ltd.	Atrasorb Medical Brazil	Atrasorb	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 97

Name of Item . Spirit Methylated per litre

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Faisal Pharma	United Ethanol Industries	Spirit Metylated	Y	Not Applicable	Not Applicable	Not Applicable	6	Not Applicable	5	Not Applicable	Not Applicable	Not Applicable	Y	N	Y	0	3	A		Responsive
M/s. Al-Ghan Traders	Local	Spirit Metylated	Y	Not Applicable	Not Applicable	Not Applicable	8	Not Applicable	5	Not Applicable	Not Applicable	Not Applicable	Y	N	Y	0	5	A		Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 98

Name of Item Steam Chemical Intigrator (Per No.)

Name of firm/ Bidder	Manufacture r	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Jamil Traders	IT 26 Terragene- Argentina	Integron IT 26	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	19	Non Responsive
M/s. Skardu Surgical	ECS S.R.I. Italy	Vapor Control	Not Applicable	Not Applicable	Not Applicable	Y	10	8	5	0	Not Applicable	Not Applicable	Y	Y		5	8	A	36	Responsive
M/s. Modern Medical Instruments	Furo Clinical Italy	EC Steam (250 strips per pack)	Y	Not Applicable	Not Applicable	N	2	5	0	0	Not Applicable	Not Applicable	Y	N	N	0	3	A	10	Non Responsive due to non compliance of compusory parameter
M/s. Cardiac Care	SPS Medical Crosstax USA	SPS Class-4&5	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 99

Name of Item . Sterile Surgical Gloves Size 6.5 Sterile

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Suzhou Colorway China	Surgitex	Y	Y	Y	Y	8	8	5	2	Y MDIR 0001236	Y	Y	Y	Y	5	12	A	40	Responsive
M/s. Endoaid Biomedica	Tianjin Healthcare PRC China	Raysen	Y	Y	Y	N	6	8	5	0	Y MDIR 0001232 0001233	Y	Y	N	Y Expired	5	3	A	27	Non Responsive due to non compliance of compusory parameter
M/s. Care & Cure	Anhui Anyu Latex Prodcuts China	Cure	Y	Y	Y	Y	10	8	5	6	Y MDIR 00001231	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. Meher Traders	Anhui Anyu Latex Product China	Well med	Y	N	N	N	6	5	5	0	N	N	N	N	Y	0	0	A	16	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 100

Name of Item Sterile Surgical Gloves Size 7 Sterile

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA")				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Suzhou Colorway China	Surgitex	Y	Y	Y	Y	8	8	5	2	Y MDIR 0001236	Y	Y	Y	Y	5	12	A	40	Responsive
M/s. Endoaid Biomedica	Tianjin Healthcare PRC China	Raysen	Y	Y	Y	N	6	8	5	0	Y MDIR 0001232 0001233	Y	Y	N	Y Expired	5	3	A	27	Non Responsive due to non compliance of compusory parameter
M/s. Care & Cure	Anhui Anyu Latex Prodcuts China	Cure	Y	Y	Y	Y	10	8	5	6	Y MDIR 00001231	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. Meher Traders	Anhui Anyu Latex Product China	Well med	Y	N	N	N	6	5	5	0	N	N	N	N	Y	0	0	A	16	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 101

Name of Item Sterile Surgical Gloves Size 7.5,Sterile

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Suzhou Colorway China	Surgitex	Y	Y	Y	Y	8	8	5	2	Y MDIR 0001236	Y	Y	Y	Y	5	12	A	40	Responsive
M/s. Endoaid Biomedica	Tianjin Healthcare PRC China	Raysen	Y	Y	Y	N	6	8	5	0	Y MDIR 0001232 0001233	Y	Y	N	Y Expired	5	3	A	27	Non Responsive due to non compliance of compusory parameter
M/s. Care & Cure	Anhui Anyu Latex Prodcuts China	Cure	Y	Y	Y	Y	10	8	5	6	Y MDIR 00001231	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. Meher Traders	Anhui Anyu Latex Product China	Well med	Y	N	N	N	6	5	5	0	N	N	N	N	Y	0	0	A	16	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 102

Name of Item Sterile Surgical Gloves Size 8, Sterile

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",,)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Suzhou Colorway China	Surgitex	Y	Y	Y	Y	8	8	5	2	Y MDIR 0001236	Y	Y	Y	Y	5	12	A	40	Responsive
M/s. Endoaid Biomedica	Tianjin Healthcare PRC China	Raysen	Y	Y	Y	N	6	8	5	0	Y MDIR 0001232 0001233	Y	Y	N	Y Expired	5	3	A	27	Non Responsive due to non compliance of compusory parameter
M/s. Care & Cure	Anhui Anyu Latex Prodcuts China	Cure	Y	Y	Y	Y	10	8	5	6	Y MDIR 00001231	Y	Y	Y	Y	5	5	A	39	Responsive
M/s. Meher Traders	Anhui Anyu Latex Product China	Well med	Y	N	N	N	6	5	5	0	N	N	N	N	Y	0	0	A	16	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 103

Name of Item Examination Gloves Non Sterile, Rubber Latex (Pack of 100 Nos) Large Size

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Tan Sin Lian Ind. Bhd Malaysia	Optisheild	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Y Applied For	Y	Y	Y	Y	5	8	A	36	Responsive
M/s. Eastern Medical Care	ASAP Int. SDN BHD Malaysia	ASAP	Y	Not Applicable	Not Applicable	N	8	5	5	0	Y Applied For	Y	Y	Y	Y	5	5	A	28	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 104

Name of Item Examination Gloves Non Sterile, Rubber Latex (Pack of 100 Nos) Medium Size

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Al-Hamd Enterprises	Tan Sin Lian Ind. Bhd Malaysia	Optisheild	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Y Applied For	Y	Y	Y	Y	5	8	A	36	Responsive
M/s. Eastern Medical Care	ASAP Int. SDN BHD Malaysia	ASAP	Y	Not Applicable	Not Applicable	N	8	5	5	0	Y Applied For	Y	Y	Y	Y	5	5	A	28	Non Responsive due to non compliance of compusory parameter

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 105

Name of Item Strips for Blood Sugar with free of cost Glucometer + accessories

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	Roche Pakistan	Accu Chek Performa Gluucose	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y (without glucometer)	Y	Y	5	5	Approved on clinical experience	35	Responsive
M/s. Muslim Scientific Corporation	Taidoc Technology Corporation Taiwan	Clever Chek	Y	Not Applicable	Not Applicable	Y	10	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	44	Responsive
M/s. Popular International	Acon USA	On call Hospital pack with EZII Meter AS FOC	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 106

Name of Item Priker/Lancet Needle (Sterilized)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Meher Traders	Sichuan medicine and health China	Well med	Y	Not Applicable	Not Applicable	Not Applicable	6	Not Applicable	5	Not Applicable	Not Applicable	Not Applicable	Y	Y	Y	0	0	A		Responsive
M/s. Popular International	China	Lancet	Y	Not Applicable	Not Applicable	Not Applicable	10	Not Applicable	5	Not Applicable	Not Applicable	Not Applicable	Y	Y	Y	5	5	A		Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 107

Name of Item . Surgical Blade No. 10 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun Asculap Germany	B. Braun	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. 3 Plus Pharma	Feather Japan	Feather	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	5	A	26	Non Responsive due to non compliance of compusory parameter
M/s. FM Health Care	KAI Japan	KAI	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	0	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Swann Morton Uk	Swann Morton	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 108

Name of Item .Surgical Blade No. 11 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun Asculap Germany	B. Braun	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. 3 Plus Pharma	Feather Japan	Feather	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	5	A	26	Non Responsive due to non compliance of compusory parameter
M/s. FM Health Care	KAI Japan	KAI	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	0	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Swann Morton Uk	Swann Morton	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 109

Name of Item Surgical Blade No. 15 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun Asculap Germany	B. Braun	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. 3 Plus Pharma	Feather Japan	Feather	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	5	A	26	Non Responsive due to non compliance of compulsory parameter
M/s. FM Health Care	KAI Japan	KAI	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	0	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Swann Morton Uk	Swann Morton	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 110

Name of Item Surgical Blade No. 20 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun Asculap Germany	B. Braun	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. 3 Plus Pharma	Feather Japan	Feather	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	5	A	26	Non Responsive due to non compliance of compusory parameter
M/s. FM Health Care	KAI Japan	KAI	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	0	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Swann Morton Uk	Swann Morton	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 111

Name of Item Surgical Blade No.22 (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun Asculap Germany	B. Braun	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. 3 Plus Pharma	Feather Japan	Feather	Y	Not Applicable	Not Applicable	N	8	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	5	A	26	Non Responsive due to non compliance of compusory parameter
M/s. FM Health Care	KAI Japan	KAI	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	0	R	19	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Swann Morton Uk	Swann Morton	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	36	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 112

Name of Item Thermometer (Clinical)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 113

Name of Item Three way stopper without extension

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Clifton Enterprises	Changzhou Zhongyou Medical China	Classic	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	No sample	Y	Y	5	3	subject to sample	27	Non Responsive
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	3-way stopcock	Y	Not Applicable	Not Applicable	N	0	8	5	0	Not Applicable	Not Applicable	Y	N	N	5	0	R	18	Non Responsive
M/s. New Majeed Medicine Company	B. Braun	Discofix without extensin	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	7	A	37	Responsive
M/s. Meher Traders	Suzhou Health Plastic China	Well med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Fixate-10	Fixate	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	9	Non Responsive
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	35	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 114

Name of Item Three way stopper with extension

Name of firm/ Bidder	Manufacture r	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakcilar Dis Ticaret AS Turkey	3-way stopcock	Y	Not Applicable	Not Applicable	N	0	8	5	0	Not Applicable	Not Applicable	Y	N	N	5	0	R	18	Non Responsive
M/s. New Majeed Medicine Company	B. Braun	Discofix with extension	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	7	A	37	Responsive
M/s. Meher Traders	Suzhou Health Plastic China	Well med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	22	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Fixate-10	Fixate	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	9	Non Responsive
M/s. Waseem Brothers	Foyomed China	Wasco	Y	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	R	35	Non Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 115

Name of Item Tincture Benzoin Co. 450ml

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	pp 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 116

Name of Item Trop T Kit (ICT)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
M/s. Parazelsus Pakistan	Roche Pakistan	Roche Cardiac POC Trop T	Y	Not Applicable	Y	Y	8	8	5	4	Y MDIR 0000195	Y	No Sample	N	Y	5	5	Already in use	35	Responsive	

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 117

Name of Item Ultra sound roll Type 1 (Normal)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 118

Name of Item Ultra sound roll Type II (High Density)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			
Not Quoted																				

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 119

Name of Item Underwater seal with connector and bottle with plastic pipe

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Cardiac Care	Pahosco Taiwan	Pahsco	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	8	A	36	Responsive
M/s. FM Health Care	Xmed China	Xmed Standard	Y	Not Applicable	Not Applicable	N	6	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	11	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Venous Chest Drain	Venous Chest Drain	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	9	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 120

Name of Item Spring Suction Drain Bottles with tubing (all sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. FM Health Care	Xmed China	Xmed	Y	Not Applicable	Not Applicable	N	6	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	R	11	Non Responsive
M/s. Ashraf Nadeem Medicine Company	Freesia Enter Canack	Canack	Y	Not Applicable	Not Applicable	Y	4	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 121

Name of Item Disposable Chest Tube Sterilized (Adult & Paeds Sizes)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Medilink Traders	Bicakilar Dis Ticaret AS Turkey	Thoracic catheter	Y	Not Applicable	Not Applicable	N	0	8	5	0	Y Applied For	Not Applicable	Y	N	N	5	0	R	18	Non Responsive
M/s. Imtiaz Brothers	Jiangsu Weikang Jiejing Medical China	Jiejing	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Meher Traders	Ningbo Greatmountain China	Well med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	R	22	Non Responsive
M/s. Hakimsons Pvt Ltd.	Ningbo MFLAB Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 122

Name of Item Urine Bag for Adult (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Sind Medical Store	Ningbo Greatcare Trading China	Urine Bag	Y	Not Applicable	Not Applicable	Y	8	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	7	A	35	Responsive
M/s. Care & Cure	Yangzhou Golden Wll Medical China	Cure	Y	Not Applicable	Not Applicable	Y	10	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. New Majeed Medicine Company	Syah Impex / Changzhou Yuekang China	Shifa U. Bag-T Outlet	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. IBL Healthcare Limited	Ultra for Medical Egypt	Ultra Med	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. Imtiaz Brothers	Changshu Kangbao China	Max	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	37	Responsive
M/s. FM Health Care	Well Lead China	Well Lead	Y	Not Applicable	Not Applicable	Y	6	8	5	6	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive
M/s. Meher Traders	Changzhou Yapng Medical China	Well med	Y	Not Applicable	Not Applicable	N	6	8	5	0	Not Applicable	Not Applicable	Y	N	Y	0	3	A	22	Non Responsive due to non compliance of compulsory parameter
M/s. Hakimsons Pvt Ltd.	Great Mountain Medical / China	Foyomed	Y	Not Applicable	Not Applicable	Y	8	8	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	36	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 123

Name of Item Phaco Knife 3.2

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			
Not Quoted																				

Total Marks = 53
Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 124

Name of Item . Phaco Knife Side port 15 Degree

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 125

Name of Item . Dermatome Blade (Standard) competible with machines Zimmer / Pladget / Aesculap

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. New Majeed Medicine Company	B. Braun	Dermetome Blade	Y	Not Applicable	Not Applicable	Y	10	8	5	2	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 126

Name of Item . Esophageal varices banding device

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			
Not Quoted																				

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 127

Name of Item . Endoscopic injection needle 23G

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 128

Name of Item . Sangstaken Tube

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Pre- Qualificati on status by Health Dept.
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
Not Quoted																					

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 129

Name of Item . Poly Propylene partially absorbable / light weight non absorbable Knitted Mesh, size 15 x 15 cm (sterile)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Popular International	Covidien	Parietine light weight mesh 15x15	Y	Not Applicable	Not Applicable	Y	10	8	5	4	MDIR 0000862	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 130

Name of Item . Poly propylene Knitted Non Absorbable / Mesh Un-Dyed, Medium 15X15cm (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Popular International	Covidien	Parietine Macro mesh PPM 15x15	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 131

Name of Item Poly propylene Knitted Non Absorbable / Mesh Un-Dyed, Small 6X11cm, USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Ashraf Nadeem Medicine Company	Kollsut USA	Sietka Mesh	Y	Not Applicable	Not Applicable	Y	4	0	5	0	Not Applicable	Not Applicable	No sample	N	N	0	0	subject to provision of sample	9	Non Responsive
M/s. Popular International	Covidien	Paratinen Macro mesh	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 132

Name of Item . Gastro intestinal Anastomosis Cutter 55mm / 60mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch History 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Cutter 55mm	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive
M/s. Popular International	Covidien	GIA 60mm stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 133

Name of Item . Gastro instestinal Anastomosis Cutter 75mm / 80mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Cutter 75mm	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive
M/s. Popular International	Covidien	GIA 80mm stapler	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 134

Name of Item . Gastro instestinal Anastomosis Catridge 55mm / 60mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Cutter 55mm	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive
M/s. Popular International	Covidien	Reload GIA 60mm stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 135

Name of Item . Gastro instestinal Anastomosis Catridge 75mm / 80mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Cutter 75mm	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive
M/s. Popular International	Covidien	Reload GIA 60mm stapler	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 136

Name of Item. Ultrasonic Dissection Shear vessel sealing devices with all accessories

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)				Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks			A/R
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Ace+ 5MM Length 23cm, TIP curved shears Ace+ 5MM, Length 36cm, TIP curved shers Harmonic 7 shears with advanced hemostasis, 5MM, Length 23cm, TIP curved shears Harmonic 7 shears with advanced hemostasis, 5MM, Length 36cm, TIP curved shears Open G2 Curved Tissue sealers, shaft Diameter 5mm, length 25cm straight jaws Other Lap G2 Curved Tissue sealers, shaft Diameter 5mm, length 35cm straight jaws	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
		Generator Hardware Harmonic Gray Hand Piece and test tip Hardware & Generators Harmonic Blue Hand Piece and Blue Test Tip																		
M/s. Popular International	Covidien	Liga Sure Disposables all sizes. FOC LS 10 Generator with purchase of 50 disposables	Y	Not Applicable	Not Applicabl e	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	R	37	Non Responsive due to out of requirid specification

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 137

Name of Item . Ultrasonic Shear for Thyrodectomy

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Harmonic Focus + shears curved, 9cm length Harmonic Focus 17 +	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Liga sure disposables all sizes FOC LS 10 Generator with purchase of 50 disposables	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	R	37	Non Responsive due to out of specification

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 138

Name of Item . Laproscopic Endvascular Stapler

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Other Endocutter	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Endo GIA universal Gun	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 139

Name of Item Laproscopic Endovascular Stapler Reload

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Other Endocutter	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Signia Catridge 60mm purple with FOC 1 Mulu unit	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 140

Name of Item Laparoscopic Absorbable Mesh Fixation Device

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Popular International	Covidien	Absorbatack Heria Mesh Fixation device	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 141

Name of Item Laparoscopic Non Absorbable Mesh Fixation Device

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Popular International	Covidien	Protack Hernia Mesh Fixation device	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 142

Name of Item Lap. Articulating Linear Cutter (45, 60cm)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Other Endocutter Echelon Flex Endopath Stapler Articulating Endoscopic Linear Cutter 45mm Echelon Flex Endopath Stapler Articulating Endoscopic Linear Cutter 60mm	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Endo GIA universal stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 143

Name of Item Lap. Articulating Linear Reloads (45, 60cm)

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Other Endocutter Echelon Felex Endopath Stapler Endoscopic Linear cutter Reloads 45mm, 6 Rows, /60mm, 6 Rows,	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Signia Catridge with FOC 1 Mulu unit	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 144

Name of Item Curved stapler for LAR

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Curved Cutter curved cutter stapler contains 46 titanium staple (thick)	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 145

Name of Item. Curved stapler for LAR Reload

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Curved Cutter counter curved cutter Reload contains 46 titanium staple (thick)	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 146

Name of Item Linear Stapler 60mm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Staplers Proximte TX Reloadable Linear Stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Linear stapler 60mm	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	5	Approved on previous clinical experience of end user	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 147

Name of Item Linear Stapler 60mm Reload

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinic Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Linear Staplers Reoad 60mm, Green	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien	Linear stapler reload 60mm	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 148

Name of Item. Circular Stapler from end to end anostomosis 29cm, 33cm

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	Manual circular stapler Titanium Adjustable Height staples 29mm / 33mm diameter	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive
M/s. Popular International	Covidien	Circular stapler EEA28 EEA33	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 149

Name of Item. PPH Haemorrhoidal stapler

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	PPH prducts 33mm diameter	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	No sample	Y	Y	5	3	Approved on previous clinical experience of end user	35	Responsive
M/s. Popular International	Covidien Kangdi	KYGZB 33.5 kangdi Hemorrhoid stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	5	A	37	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 150

Name of Item. Rotating Head Stapler for open mesh fixation

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA",)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R		
M/s. Muller & Phipps	Johnson & Johnson (Ethicon Endu surgery)	External Products 35 wide stainless stell stapler	Y	Not Applicable	Not Applicable	Y	10	8	5	4	Not Applicable	Not Applicable	Y	Y	Y	5	3	A	35	Responsive

Total Marks = 53

Qualifying Marks = 65% (35)

BID EVALUATION CRITERIA

Tender Sr. No. 151

Name of Item. Surgical Disposable Face Mask 3 Ply with Ear Loop

Name of firm/ Bidder	Manufacturer	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP/ FDA".)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), Financial Status of Bidder "FS", Technical Staff of Manufacturer "TS")				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Batch Capacity "BC" / Free Sale Certificate)					Ordinary Criteria of Product (Batch History, Market Experience of Quoted Product) "ME"		Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	Remarks
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP/ FDA (Y/N)	PP 10 marks	CrC 8 marks	FS 05 marks	TS 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	BC (Y/N)	FSC (Y/N)	Batch Histroy 05 Marks	ME 15 marks	A/R			
M/s. Servaid + Mirac Pharmacy	Mirac	Face Mask	Y	Not Applicable	Not Applicable	N	0	0	0	0	Not Applicable	Not Applicable	Y	N	N	0	0	Subject to provision of sufficient quantity of samples for trail	0	Non Responsive due to non compliance of compulsory parameter	Bidders are bound to declare sufficient quantity of stock in hand in case of 1st lowest firm
M/s. Genemeq Health Pvt. Ltd.	U-Life China	(1) 3Ply with melt below filter (2) 3Ply Ear Loop (3) 2Ply Ear Loop	N	Not Applicable	Not Applicable	Y	8	8	5	6	Not Applicable	Not Applicable	No Sample	Y	Y	5	3	subject to provision of sample	35	Non Responsive	
M/s. Cotton Craft Pvt. Ltd	Cotton Craft	Pro-Safe	Y	Not Applicable	Not Applicable	Y	10	5	5	8	Not Applicable	Not Applicable	Y	Y	Y	5	3	Subject to provision of sufficient quantity of samples for trail	36	Non Responsive	
M/s. Ashraf Nadeem Medicine Company	China	Imported	Y	Not Applicable	Not Applicable	N	4	0	5	0	Not Applicable	Not Applicable	Y	N	N	0	0	A	9	Non Responsive due to non compliance of compulsory parameter	

Qualifying Marks = 65% (35)

Total Marks = 53

Dr. Maria Zulfiqar
Medicine Procurement Section

Dr. Nazish Mustafa
Medicine Procurement Section

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Mansoor Tariq
A.M.S. (Stores)

Dr. Sairah Sadaf
Head of Anesthesia Department

Assot. Prof. Dr. Wazir Ali Khan
Head of Neurology Department

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medicine Department

Prof. Dr. Muhammad Zafar Iqbal
Head of Ortho Department

Prof. Dr. Fahim Awan
Head of ENT Department

Prof. Dr. Muhammad Saleem
Head of Peads Department

Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Chairperson