

# SHEIKH ZAYED HOSPITAL, RHAIM YAR KHAN

## BIDDER WISE TECHNICAL COMPARATIVE STATEMENT FOR THE BULK PURCHASE OF DENTAL MATERIAL ITEMS FY 2021-22

Sr#	Detail	M/S Royal System	M/S Advance System
		1	2
1	Original receipt for purchase of tender.	Attached	Attached
2	Attested copy of CNIC	Attached	Attached
3	Acceptance of terms and condition, tender documents duly signed and stamped.	Sign & Stamp	Sign & Stamp
4	Valid Manufacturer's Authorization	Mentioned Against each item	Mentioned Against each item
5	An affidavit on stamp paper of Rs.100/- submitting following clauses: i) replacement of unconsumed / expired / substandard spurious drugs / stocks free of cost, ii) that the firm is never blacklisted on any grounds whatsoever. iii) Price Reasonable certificate. (iv) Certificate that prices are not more than trade price.	Attached	Attached
6	An affidavit on stamp paper submitting that the price quoted to this institute against the quoted items mentioned in the bid are not more than the prices charged from any Purchase Organization in the country and in case of discrepancy the bidder hereby undertakes to refund the price charged in excess".	Attached	Attached
7	Affidavit on Original Letter Head (as per specimen proforma attached on <b>(Page No.27)</b> )	Attached	Attached
8	Car deposit / Bid Security required (2% of estimated price)	Attached (Rs. 30000)	Attached (Rs. 30000)
9	National Tax Number (NTN)	Attached	Attached
10	General Sale Tax Number Certificate (STN)	Attached	Attached
11	Professional Tax	Attached	Attached
12	Bank Statement last one year.	Attached	Attached
13	Experience Certificate / Past Performance Certificate	Attached	Attached
14	Sample provided as per Proforma attached <b>(Page No.29)</b>	Mentioned Against Each Item	Mentioned Against Each Item
15	The Original price List of the firm indicating the inclusion of the item / product of quoted item (Latest)	<b>Not Attached</b>	<b>Not Attached</b>

Sr#	Detail	M/S Royal System	M/S Advance System
		1	2
16	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Followed	Followed
17	Price should not be mentioned on technical bid.	Followed	Followed
18	Quality Certificates (ISO/CE/IVD/ FDA/ WHO Recommendation, any other)	Mentioned Against each item	Mentioned Against each item
19	Valid Import License ( <b><i>issued by DRAP in case of Importers</i></b> )	<b>Not Attached</b>	Attached
20	Sole Agency Certificate / Agreement with foreign Principal (in case of Importer) Translated in English.	Authority Letter mentioned against each item	Authority Letter mentioned against each item
21	Letter of Intention (as per specimen proforma attached)	Attached	Attached
23	Remarks	<b><u>Non responsive</u></b> <b>i) DRAP License</b>	<b>Responsive</b>

**MEDICAL SUPERINTENDENT**  
Sheikh Zayed Hospital,  
Rahim Yar Khan

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 01

Name of Item: Alveogel 10 g / Jar

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	Tehnodent, Russia	1x15 gm	4	2	0	0	0	0	0	0	5	7	10	5	5	5	Y	Y	N	Prev. Exp	R	43	Non responsive	Rejected by the end user
2	M/S Advance System	Septodent France	1x10 gm	6	2	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 02

Name of Item: Arch Bar 1 Ft / Coil

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	5	5	10	10	5	5	20										

1	M/S Royal System	China	1x1 Ft	4	2	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	Germany	1x1 Ft	6	2	0	0	0	0	0	0	0	5	3	10	5	5	5	N	y	N	Prev. Exp	R	41	Non responsive	Rejected by the end user

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 03

Name of Item: Benzocaine / Lidocaine Gel (for dental use) 30 ml / Jar

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	Prime Dent, USA	1x30 ml	4	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	R	41	Non responsive	Rejected by the end user
2	M/S Advance System	USA	1x30 ml	6	2	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	Subject to brand	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 04

Name of Item: Bur Cleaning Brush 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder											Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)											a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	20								

1	M/S Royal System	China	Pack size not mentioned	4	2	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	T&G UK	Pack size not mentioned	6	0	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	R	39	Non responsive	Rejected by the end user

**Total Marks            100**  
**Qualifying Marks       60**

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 05

Name of Item: Calcium Hydroxide for Lining / Base (setting) 2 Paste system

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20									

1	M/S Royal System	Prime Dent, USA	1x24 gm	4	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	R	41	Non responsive	Rejected by the end user
2	M/S Advance System	Dentsply	1x24 gm	6	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	A	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks            100**

**Qualifying Marks      60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 06

Name of Item: Cavit (Temporary Filling) 40 gm

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks					
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"													
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) CP		(f) FC	AL Y/N	PE Y/N					FSC Y/N	SS Y/N	A/R		
				10	10	4	4	4	4	4	4	5	5	10	10	5	5	20									

NOT QUOTED

**Total Marks            100**

**Qualifying Marks       60**



## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 07

Name of Item: Composite Bond (Light Cure) 5 ml / Bottle

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20									

1	M/S Royal System	Prime Dent, USA	1x7 ml	4	2	0	0	0	0	0	0	5	7	10	5	5	5	Y	Y	N	Prev. Exp	R	43	Non responsive	Rejected by the end user
2	M/S Advance System	USA	1x7 ml	6	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	Subject to brand	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks            100**

**Qualifying Marks      60**

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 08

Name of Item: Composite Filling material A2 (Light Cure) 4 g / Syringe

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20									

1	M/S Royal System	Prime Dent, USA	1x4.5 gm	4	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	Y	N	Prev. Exp	R	41	Non responsive	Rejected by the end user
2	M/S Advance System	USA	1x4.5 gm	6	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	Subject to brand	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks            100**

**Qualifying Marks      60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 09

Name of Item: Composite Filling material A3 (Light Cure) 4 g / Syringe

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks						
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"														
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) CP			(f) FC	AL Y/N					PE Y/N	FSC Y/N	SS Y/N	A/R		
				10	10	4	4	4	4	4	4	5	5	10	10	5	5	20										

NOT QUOTED

Total Marks            100

Qualifying Marks        60

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 10

Name of Item: Composite Finishing Diamond Burs (Yellow Band) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks			
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"										
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP			(f) FC	AL Y/N	PE Y/N					FSC Y/N	SS Y/N	A/R
10	10	4	4	4	4	4	4	5	5	10	10	5	5	20													
1	M/S Royal System	Prima Dent, USA	Not Mentioned	4	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product Experience
2	M/S Advance System	Shofu Japan	Not Mentioned	6	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	N	N	Prev. Exp	A	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks            100**  
**Qualifying Marks      60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item: Dental Cartridge of 2% Lidocaine with Adrenaline 1x50 Nos.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks				
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										(f) FC	AL Y/N	PE Y/N	FSC Y/N
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20													
1	M/S Royal System	HD Cane	1x50 Nos	4	2	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience
2	M/S Advance System	HD Cane	1x50 Nos	6	0	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	A	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks                    100**

**Qualifying Marks            60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 12

Name of Item: Dental Napkin 500 Pcs

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks				
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										(f) FC	AL Y/N	PE Y/N	FSC Y/N
10	10	4	4	4	4	4	4	5	5	10	10	5	5	20														
1	M/S Royal System	China	1x125 Nos	4	2	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	Medicome Origin China	1x125 Nos	6	0	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	A	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks**            100  
**Qualifying Marks**    60

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 13

Name of Item: EDTA Paste / Liquid (for RCT) 1x7 g / Syringe

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks				
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"									
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP						(f) FC					AL Y/N	PE Y/N	FSC Y/N	SS Y/N
10	10	ISO	CE	IVD	FDA	other	Audit Report	Bank Statement	Tax Return (3 Yrs)	Tech. Staff	Service & Backup	Supporting Staff	20																
1	M/S Royal System	Tecom Korea	1x7 gm	4	2	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	Tecom Korea	1x7 gm	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy	

**Total Marks**            **100**  
**Qualifying Marks**    **60**

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 14

Name of Item: Etchant Gel 1x3 gm/Syringe

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20									

1	M/S Royal System	Prime Dent, USA	1x2 gm	4	2	0	0	0	0	0	0	5	7	10	5	5	5	Y	Y	N	Prev. Exp	R	43	Non responsive	Rejected by the end user
2	M/S Advance System	USA	1x2 gm	6	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	Subject to brand	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience

**Total Marks            100**

**Qualifying Marks       60**



## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 15

Name of Item: Flouride Application 100 ml

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks			
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Entineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Trunover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP						(f) FC					AL Y/N	PE Y/N	FSC Y/N
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20													
1	M/S Royal System	USA	Not Mentioned	4	2	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	Subject to brand	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	USA	Not Mentioned	6	2	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	Subject to brand	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy	

**Total Marks            100**

**Qualifying Marks        60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 16

Name of Item: Glass Ionomer Cement (Powder & Liquid) 15gm + 15ml / Box

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20									

1	M/S Royal System	GC, Japan	10 g Powder + 8 ml Liquid	4	4	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	45	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	Shofu Japan	15 g Powder + 15 ml Liquid	6	4	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	R	43	Non responsive	Rejected by the end user

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 17

Name of Item: GP solvent 1x10 ml / Bottle

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	Prime Dent USA	1x10 ml	4	2	0	0	0	0	0	0	5	7	10	5	5	5	Y	Y	N	Prev. Exp	R	43	Non responsive	Rejected by the end user
2	M/S Advance System	PD Swiss	1x10 ml	6	2	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 18

Name of Item: Handpiece Oil Spray 330 ml / Bottle

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	China	1x330 ml	4	2	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	China	1X550 ML	6	2	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks      60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 19

Name of Item: Inverted Cone Burs (SI-48) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20									

1	M/S Royal System	Prime Dent, USA	Not Mentioned	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product Experience
2	M/S Advance System	Shofu Japan	Not Mentioned	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks                    100**  
**Qualifying Marks                60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 20

Name of Item: Paper Points No. 25 (120 Points / Box)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										
1	M/S Royal System	Meta Korea	1x120 Points	4	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	Prev. Exp	R	41	Non responsive	Rejected by the end user
2	M/S Advance System	Gapadent, China	1x120 Points	6	2	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

**SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN**  
**Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial**  
**Year 2021-22.**

**BID EVALUATION CRITERIA**

Tender Sr. No. 21

Name of Item: Paper Points No. 30 120 Points / Box

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks						
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"											
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS							(e) CP					(f) FC	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R
				10	10	4	4	4	4	4	4	5	5	10	10	5	5	20										

NOT QUOTED

Total Marks 100

Qualifying Marks 60

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 22

Name of Item: Paper Points No. 40 120 Points / Box

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks						
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"													
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) CP			(f) FC					AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R	
				10	10	4	4	4	4	4	4	5	5	10	10	5	5	20									

NOT QUOTED

**Total Marks            100**

**Qualifying Marks       60**



## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 23

Name of Item: Periapical X-ray Films 1x150 Nos

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks			
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R							
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP											(f) FC		
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20													
1	M/S Royal System	Yes Star, Czech Republic	1x150 Nos	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	N	Subject to provision of sample	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product Experience
2	M/S Advance System	Foma Czech Republic	1x150 Nos	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	N	Subject to provision of sample	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks 100**

**Qualifying Marks 60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 24

Name of Item: Pulp Sedative 1x15ml / Bottle

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	Prime Dent, USA	1x15 ml	4	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	R	41	Non responsive	Rejected by the end user
2	M/S Advance System	PD Swiss	1x15 ml	6	2	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks      60**

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 25

Name of Item: Pulpotomy Filling material (Powder & Liquid) Pwd 15g + Liq 15ml

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20										

1	M/S Royal System	PD, Swiss	15 gm PWD + 15 ml Liq	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product Experience
2	M/S Advance System	PD, Swiss	15 gm PWD + 15 ml Liq	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks                    100**

**Qualifying Marks            60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 26

Name of Item: Root Canal Disinfectant 15 ml / Bottle

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"					
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										(f) FC
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	5	20									
1	M/S Royal System	GC Japan PD Swiss	15 gm PWD + 15 ml Liq	4	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	N	R	41	Non responsive	Rejected due to quoted dual brand
2	M/S Advance System	PD Swiss	15 gm PWD + 15 ml Liq	6	2	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 27

Name of Item: Round Burs (BR-31) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks											
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"																			
				(a) PP	(b) MPE	(c) CrC (10 marks)					(d) FS			(e) CP			(f) FC	AL Y/N					PE Y/N	FSC Y/N	SS Y/N	A/R							
				10	10	4	4	4	4	4	4	5	5	10	10	5	5	20															

1	M/S Royal System	Prime Dent, USA	Not Mentioned	4	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product experience
2	M/S Advance System	Shofu Japan	Not Mentioned	6	2	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks                    100**  
**Qualifying Marks                60**

# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 28

Name of Item: Slow Speed Handpieces 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"				
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP									
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20									

1	M/S Royal System	NSK Japan	Pack size not mentioned	4	2	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	Y	N	Prev. Exp	A	43	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy
2	M/S Advance System	Apple China	Pack size not mentioned	6	0	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	R	39	Non responsive	Rejected by the end user

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 29

Name of Item: Straight Fissure Burs (SF-13) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks								
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" e) Sample Specification "SS"															
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP			(f) FC	AL Y/N	PE Y/N					FSC Y/N	SS Y/N	A/R					
				10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20													

1	M/S Royal System	Prime Dent, USA	Pack size not mentioned	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product experience
2	M/S Advance System	Shofu Japan	Pack size not mentioned	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks                    100**  
**Qualifying Marks                60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 30

Name of Item: Surgical Wire (0.45 mm) 30 ft / Coil

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks			
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP						(f) FC					AL Y/N	PE Y/N	FSC Y/N
10	10	4	4	4	4	4	4	4	5	5	10	10	5	5	20													
1	M/S Royal System	Imported	1x30 ft	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	Prev. Exp	Subject to Brand	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product experience
2	M/S Advance System	Imported	1x30 ft	6	0	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	N	N	Prev. Exp	Subject to Brand	39	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product experience

**Total Marks                    100**

**Qualifying Marks            60**



# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 31

Name of Item: Tapering Fissure Burs (TF-12) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"						
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										(f) FC	AL Y/N
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20											
1	M/S Royal System	Prime Dent, USA	Not Mentioned	4	0	0	0	0	0	0	0	0	5	7	10	5	5	5	Y	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy v) Product experience
2	M/S Advance System	Shofu Japan	Not Mentioned	6	2	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks            100**  
**Qualifying Marks       60**

## SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

### Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

#### BID EVALUATION CRITERIA

Tender Sr. No. 32

Name of Item: Ultrasonic Scaler Tips (DTE) (G1 shape) 1 No.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										
10	10	4	4	4	4	4	4	5	5	10	10	5	5	20											

1	M/S Royal System	Woodoacker, China	Not Mentioned	4	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product experience
2	M/S Advance System	Woodoacker, China	Not Mentioned	6	2	0	0	0	0	0	0	0	0	5	3	10	5	5	5	N	Y	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy

**Total Marks 100**

**Qualifying Marks 60**



# SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

## Item-Wise Technical Comparative Statement for the Bulk Purchase of Dental Material Items for Financial Year 2021-22.

### BID EVALUATION CRITERIA

Tender Sr. No. 34

Name of Item: Zinc Phosphate filling (Powder & Liquid) Pwd 35 gm + Liq 25 ml

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder													Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R". )	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks				
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Company Profile "CP" (Bio-medical engineer, software engineer, Application Engineer, Services & Backup, Supporting Staff List) f) Financial Capacity of the Bidder / Firm (Annual Turnover of last financial year)													a) Authority Letter "AL" of quoted brand	b) Product Experience "PE"	c) Free Sale Certificate "FSC"	e) Sample Specification "SS"								
				(a) PP	(b) MPE	(c) CrC (10 marks)						(d) FS			(e) CP										(f) FC	AL Y/N	PE Y/N	FSC Y/N
10	10	4	4	4	4	4	4	5	5	10	10	5	5	5	20													
1	M/S Royal System	GC Japan	25 gm PWD + 12 ml Liq	4	0	0	0	0	0	0	0	0	0	0	5	7	10	5	5	5	N	N	N	Prev. Exp	A	41	Non responsive	Subject to provision of following documents: i) Quality Certificates ii) Audit Report) iii) Last three years tax returns iv) Authority Letter v) Free Sale Certificate dully signed by Pakistan Embassy vi) Product experience
2	M/S Advance System	Shofu Japan	60 gm PWD + 25 ml Liq	6	2	0	0	0	0	0	0	0	0	0	5	3	10	5	5	5	Y	Y	N	Prev. Exp	R	41	Non responsive	Rejected by the end user

**Total Marks**            100  
**Qualifying Marks**    60

**MEDICAL SUPERINTENDENT**  
 Sheikh Zayed Hospital,  
 Rahim Yar Khan