

For the Furniture & Fixture of

ADP Scheme "Provision of Missing Facilities and Up-Gradation of Electricity System at Sheikh Zayed Medical College / Hospital, Rahim Yar Khan" (Financial Year 2021-22)

Sr.#	(Lot No.01) 1.COMPUTER TABLE + CHAIR, 2.COMPUTER TABLE + CHAIR 3.OFFICE TABLE 5'X3'X2½', 4.STEEL BENCHES FOR RECEPTION AREA 5.IRON ALMIRAH , 6.STEEL STOOL	M/s Samad Furniture Mart
PART-I, KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION) (MACHINARY , EQUIPMENT, FURNITURE& FIXTURE)		
1	Item name/Tender	Yes
2	Original Receipt for Purchase of Tender	Yes
3	Copy of the Proprietor's CNIC is attached	Yes
4	Registration status issued by FBR (NTN/STRN) is active as per ATL On FBR	Yes
5	An affidavit (as per specimen Performa on stamp paper of Rs.100/-)	Yes
6	Bid security	Yes
7	Bid Validity	Yes
8	Delivery Period	Yes
9	The tender documents are signed stamped and proper page number marking	Yes
10	The bidder/bidders has been blacklisted by any public sector organization	No
Remarks (Responsive/Non-Responsive)		Responsive
Part-II, KNOCK DOWN CRITERIA (FURNITURE & FIXTURE)		
11	Bid is submitted in the prescribed Annexure to this tender/bid document	No
12	Incomplete, Ambiguous, Conditional, Alternative, Late;	Yes
13	NON-submission of verifiable proofs against the mandatory as well as general documentary, qualification, and eligibility related requirements;	Attached
14	Copies of earlier contracts/work orders.	Yes
15	Fresh Bank transaction certificate is Attached	Yes
16	Technical specification according to the requirement is attached	Yes
17	Sample as mentioned against each item in Tender Scope/Specification must be submitted with the Technical Bid?	Sample will be demanded for approval before opening of Financial bid.
18	Sample Approved or Rejected	Subject to approved sample.
19	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution.	No
20	The bid must comply with the required technical specifications of the quoted single item/Each item of complete package. Incomplete offer will straightaway be rejected.	Yes
Remarks (Responsive/Non-Responsive)		No-Responsive

Non-Responsive due to Sr.#11 (prescribed Annexure) and Sr # 19 (Copies of earlier completed contracts performance) are not attached.

Dr. Ghazala Farrukh
Assistant Professor
Community Medicine
Sh. Zayed Medical College/Hospital, R.Y.K.

DR. JAVED IQBAL
Assistant Professor Biochemistry
Sheikh Zayed Medical College
Rahim Yar Khan

DR. MOAZZAM ALI
Assistant Professor
F.C.P.S.
CONSULTANT PHYSICIAN
Sh. Zayed Medical College
Rahim Yar Khan

DR. QURAT-UL-AIN KAMRAN
Assistant Professor (Forensic Medicine)
Sheikh Zayed Medical College, R.Y.Khan

DR. MUHAMMAD ZIA UR REHMAN ALY
Associate Professor of Anatomy
Sh. Zayed Medical College
Rahim Yar Khan

DR. QURAT-UL-AIN KAMRAN
Assistant Professor (Forensic Medicine)
Sheikh Zayed Medical College, R.Y.Khan

DR. JAVED IQBAL
Assistant Professor Biochemistry
Sheikh Zayed Medical College
Rahim Yar Khan

DR. MOAZZAM ALI
Assistant Professor
F.C.P.S.
CONSULTANT PHYSICIAN
Sh. Zayed Medical College
Rahim Yar Khan

DR. GHAZALA FARRUKH
Assistant Professor
Community Medicine
Sh. Zayed Medical College/Hospital, R.Y.K.

DR. QURAT-UL-AIN KAMRAN
Assistant Professor (Forensic Medicine)
Sheikh Zayed Medical College, R.Y.Khan

TECHNICAL SPECIFICATIONS		
A	Make	Local
B	Model	Local
C	Country of Manufacturer (Origin): USA, EU, Japan	Pakistan
1 COMPUTER TABLE + CHAIR		
1	Length: 36 inch	Subject to approval of sample
2	Width: 24 inch	
3	Height: 30 inch	
4	One Drawer for CPU 11inch x 21 inch	
5	One standard Drawer with lock	
6	Best quality Lamination sheets /Wooden Sheesham Keyboard Sliding & back should be covered with top.	
2 CHAIR CUSHIONED WITH WOODEN FRAME		
1	Product Dimensions:19 W x 20-1/2 D x 32-1/2 H	Subject to approval of sample
2	Seat Height:16 in	
3	Structure made of Sheesham wood and best quality foam with arms.	
4	Cushion of seat & back with imported leather	
3 OFFICE TABLE 5'X3'X2½'		
1	Best quality lamination sheet with Sheesham wood & foot rest border.	Subject to approval of sample
2	To 3/4" thick made of high density chipboard	
3	pressed with one side formica & other side veneer.	
4	Finish with N.C Liqueur	
5	Finish with N.C Liqueur	
6	03 Drawer on right side of the table.	
4 STEEL BENCHES FOR RECEPTION AREA		
1	Silver or gray color.	Subject to approval of sample
5 IRON ALMIRAH		
1	Material: frame made of 22 guage Iron sheet with front glass & lock	Subject to approval of sample
2	Color: Off White	
3	Height: 66 inch, Depth: 18 inch, Width: 36 inch.	
6 STEEL STOOL		
1	Height: 24", Top: 12-12".	Subject to approval of sample
2	Fram made of 18 guage	

Handwritten signature and stamp:
AMM ZAHIR RAZZOQI
 Bto Medical Engg
 SMC/SZB
 R.Y.Khan

Handwritten signature and stamp:
 Acquisition Manager (Contracts)
 Engineering & Departmental Works
 Sheikh Zayed Medical College
 Rahim Yar Khan

Handwritten signature and stamp:
 Dr. Qurrat-ul-Ain Kamran
 Assistant Professor (Forensic Medicine)
 Sheikh Zayed Medical College, R.Y.Khan

Handwritten signature and stamp:
 Dr. Moazzam Ali Atif
 F.C.P.S.
 Assistant Professor And
 CONSULTANT PHYSICIAN
 Sh. Zayed Medical College, R.Y.Khan

Handwritten signature and stamp:
 DR. JAVED IQBAL
 Assistant Professor Biochemistry
 Sheikh Zayed Medical College
 Rahim Yar Khan

Handwritten signature and stamp:
 Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sh. Zayed Medical College/Hospital/R.Y.K

Handwritten signature and stamp:
 IMRAN KHAN
 DEPUTY LIBRARIAN
 Sh. Zayed Medical College
 Hospital R.Y.Khan

Handwritten signature and stamp:
 DR. MUHAMMAD ZIA UR REHMAN ALVI
 Associate Professor of Anatomy
 Sheikh Zayed Medical College
 Rahim Yar Khan

Handwritten signature and stamp:
 DR. SHAZIA SULTAN
 ASSISTANT PROFESSOR
 Department of Physiology
 Sheikh Zayed Medical College
 Rahim Yar Khan

Technical Evaluation Statement/Report on 02-02-2022

For the Furniture & Fixture of

ADP Scheme "Provision of Missing Facilities and Up-Gradation of Electricity System at Sheikh Zayed Medical College / Hospital, Rahim Yar Khan" (Financial Year 2021-22)

(Lot No. 02)

Sr.#	1.SOFA SET (5 SEATER) , 2.CONFERENCE ROOM TABLE FOR VIDEO CONFERENCING , 3.CONFERENCE ROOM TABLE (16'x3.5'x2.5') , 4.CIRCULATION/ISSUANCE DESK, 5.TABLE FOR MICROSCOPE , 6.OFFICE TABLE 4'X2½'X2½' , 7.REVOLVING CHAIR, 8.STUDENT CHAIR	M/s Progressive Associates
1	Item name/Tender	Yes
2	Original Receipt for Purchase of Tender	Yes
3	Copy of the Proprieto's CNIC is attached	Yes
4	Registration status issued by FBR (NTN/STRN) is active as per ATL On FBR	Yes
5	An affidavit (as per specimen Performa on stamp paper of Rs.100/-)	Stamp Paper of Rs. 50 used instead of Rs. 100
6	Bid security	Yes
7	Bid Validity	Yes
8	Delivery Period	Yes
9	The tender documents are signed stamped and proper page number marking	Yes
10	The bidder/bidders has been blacklisted by anypublic sector organization	No
Remarks (Responsive/Non-Responsive)		Non-Responsive
Part-II, KNOCK DOWN CRITERIA (FURNITURE & FIXTURE)		
11	Bid is submitted in the prescribed Annexure to this tender/bid document	No
12	Incomplete, Ambiguous, Conditional, Alternative, Late;	Yes
13	NON-submission of verifiable proofs against the mandatory as well as general documentary, qualification, and eligibility related requirements;	Attached
14	Copies of earlier contracts/work orders.	Yes
15	Fresh Bank transaction certificate is Attached	Yes
16	Technical specification according to the requirement is attached	Yes
17	Sample as mentioned against each item in Tender Scope/Specification must be submitted with the Technical Bid?	Sample will be demanded for approval before opening of Financial bid.
18	Sample Approved or Rejected	Subject to approval of Sample
19	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution.	No
20	The bid must comply with the required technical specifications of the quoted single item/Each item of complete package. Incomplete offer will straightaway be rejected.	Yes
Remarks (Responsive/Non-Responsive)		Non Responsive

Non-Responsive due to Sr.# 05 (Stamp Paper Rs. 100), Sr.#11 (prescribed Annexure with tender documents) and Sr.# 19 (Copies of earlier completed contracts performance) are not attached.

Director Manager (Contracts)
Planning & Development Wing
Sheikh Zayed Medical Complex
Rahim Yar Khan

Head of Department
Rahim Yar Khan

Dr. Moazzam Ali Atif
F.C.P.S.
Assistant Professor And
CONSULTANT PHYSICIAN
Sh. Zayed Medical College R.Y.Khan

DR. JAVED IQBAL
Assistant Professor Biochemistry
Sheikh Zayed Medical College
Rahim Yar Khan

Dr. Ghazala Farrukh
Assistant Professor
Community Medicine
Sh. Zayed Medical College/Hospital RYK


DR. MUHAMMAD ZIA UR REHMAN ALVI
Associate Professor of Anapthy
Sheikh Zayed Medical College
Rahim Yar Khan


Imran Nazir
DEPUTY LIBRARIAN
Sh. Zayed Medical College
Hospital R.Y.Khan


TECHNICAL SPECIFICATIONS		
A		Make Local
B		Model Local
C	Country of Manufacturer (Origin): USA, EU, Japan	Pakistan
1	SOFA SET (5 SEATER)	
1	Dimensions: 81 x 84 x 142 cm ;	Subject to approval of Sample
2	Clearance From Floor (Inch), 5 Inch	
3	Good quality fome with good quality Rexine.	
2	CONFERENCE ROOM TABLE FOR VIDEO CONFERENCING (24'x4'x2.5')	
1	Best quality lamination sheet with sheesham wood to 3/4" thick made of high density.	Subject to approval of Sample
2	Glass 12 MM, Green cloth and finish with N.C Liqueur Duct below the table top for cable management of mics ect.	
3	CONFERENCE ROOM TABLE (16'x3.5'x2.5')	
1	Glass 12 MM, Green cloth and finish with N.C Liqueur Duct below the table top for cable management of mics ect.	Subject to approval of Sample
2	Glass 12 MM, Green cloth and finish with N.C Liqueur Duct below the table top for cable management of mics ect.	
4	CIRCULATION/ISSUANCE DESK	
1	Material: frame with Sissoo wood and durable laminates that have the natural beauty and wood grain texture of real wood	Subject to approval of Sample
2	Best quality lamination sheet with sheesham wood to 3/4" thick made of high density. Chipboard pressed with one side formica & other side veneer, Finish with N.C Liqueur.	
5	TABLE FOR MICROSCOPE	
1	54 inch x 24 inch x 30" inch	Subject to approval of Sample
2	Best quality lamination sheet with sheesham wood to 3/4" thick made of high density. Chipboard pressed with one side formica & other side veneer, Finish with N.C Liqueur.	
6	OFFICE TABLE 4'X2½'X2½'	
1	To 3/4" thick made of high density chipboard pressed with one side formica & other side veneer, structure made of solid seasoned sheesham wood & foot rest, Finish with N.C Liqueur.	Subject to approval of Sample
2	01 Locker portion on left side.	
3	03 Drawer on right side of the table .	
4	Material: frame with Sissoo wood and durable laminates that have the natural beauty and wood grain texture of real wood	
7	REVOLVING CHAIR	
1	Imported / Fancey Hydraulic Type	Subject to approval of Sample
8	STUDENT CHAIR	
1	Steel 18 Guage ¾ Pipe	Subject to approval of Sample
2	Height 32"	
3	Round: 18 ½ "	
4	Width: 9" & side Aram	
5	Steel frame with Sheesham wooden stops.	


Handwritten notes and signatures on the left margin.

DR. MUHAMMAD ZAFAR REHMAN JELVI
 W/Asst. Professor of Anatomy
 Sheikh Zayed Medical College



 Project Manager (Contracts)
 In-charge of Department Wing
 Sheikh Zayed Medical College
 R.Y.Khar


 Dr. Moazzam Ali Atif
 F.C.P.S.
 Assistant Professor And
 CONSULTANT PHYSICIAN
 Sh. Zayed Medical College R.Y.Khar


 Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sheikh Zayed Medical College R.Y.Khar


 DR. QURRAT-UN-NISA KAMRAN
 Assistant Professor
 Sheikh Zayed Medical College
 R.Y.Khar


 Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sheikh Zayed Medical College R.Y.Khar


 Dr. Qurrat-un-Nisa Kamran
 Assistant Professor
 Sheikh Zayed Medical College R.Y.Khar

**Technical Evaluation Statement/Report on 02-02-2022 For the Furniture & Fixture of
ADP Scheme "Provision of Missing Facilities and Up-Gradation of Electricity System at Sheikh Zayed Medical College / Hospital,
Rahim Yar Khan" (Financial Year 2021-22)**

Sr.#	(Lot No. 03) 1.Foot Rest , 2.CHAIR CANED WITH WOODEN FRAME 3.Dice , 4.STUDY TABLE, 5.WOODEN STUDY CARREL (SINGLE) 6.ROUND STUDY TABLE (4'X4'X2½') 7.BOOK SHELVES DOUBLE SIDE 8.JOURNAL DISPLAY SHELVE (5'X4') , 9.HOD CHAIR , 10.SIDE RACK WOODEN 11.PORTABLE GLASS WALL (FOR PARTITION) , 12.BOOK SHELVES FOR DEPT. LIBRARY	M/s Samad Furniture Mart
	PART-I, KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION) (MACHINARY , EQUIPMENT, FURNITURE& FIXTURE)	
1	Item name/Tender	Yes
2	Original Reciept for Purchase of Tender	Yes
3	Copy of the Proprietor's CNIC is attached	Yes
4	Registration status issued by FBR (NTN/STRN) is active as per ATL On FBR	Yes
5	An affidavit (as per specimen Performa on stamp paper of Rs.100/-)	Yes
6	Bid security	Yes
7	Bid Validity	Yes
8	Delivery Period	Yes
9	The tender documents are signed stamped and proper page number marking	Yes
10	The bidder/bidders has been blacklisted by any public sector organization	No
	Remarks (Responsive/Non-Responsive)	Responsive
	Part-II, KNOCK DOWN CRITERIA (FURNITURE & FIXTURE)	
	Bid is submitted in the prescribed Annexure to this tender/bid document	No
	Incomplete, Ambiguous, Conditional, Alternative, Late;	Yes
	NON-submission of verifiable proofs against the mandatory as well as general documentary, qualification, and eligibility related requirements;	Attached
4	Copies of earlier contracts/work orders.	Yes
15	Fresh Bank transaction certificate is Attached	Yes
16	Technical specification according to the requirement is attached	Yes
17	Sample as mentioned against each item in Tender Scope/Specification must be submitted with the Technical Bid?	Sample will be demanded for approval before opening of Financial bid.
18	Sample Approved or Rejected	Subject to approved sample.
19	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution.	No
20	The bid must comply with the required technical specifications of the quoted single item/Each item of complete package. Incomplete offer will straightaway be rejected.	Yes
	Remarks (Responsive/Non-Responsive)	No-Responsive

Non-Responsive due to Sr.#11 (prescribed Annexure) and Sr.# 19 (Copies of earlier completed contracts performance) are not attached.

Dr. Ghazala Faruqi
Assistant Professor
Community Medicine
Sh. Zayed Medical College, Rahim Yar Khan

Dr. Qurat-ul-Ain Kamran
Assistant Professor (Forensic Medicine)
Sheikh Zayed Medical College R.Y.Khan

DR. MUHAMMAD ZIAB REHMAN ALVI
Assistant Professor of Anatomy
Sheikh Zayed Medical College
Rahim Yar Khan

IMRAN ALI
DEPUTY LIBRARIAN
Sh. Zayed Medical College
Hospital R.Y.Khan

Dr. Muzammil Ali
Assistant Professor
CONSULTANT PHYSICIAN
Sh. Zayed Medical College R.Y.Khan

DR. JAVED IQBAL
Assistant Professor Biochemistry
Sh. Zayed Medical College
Rahim Yar Khan

*Contract Manager (Contract)
Administration & Department Wing
Sheikh Zayed Medical Complex
Rahim Yar Khan*

TECHNICAL SPECIFICATIONS		
A	Make	Local
B	Model	Local
C	Country of Manufacturer (Origin): USA, EU, Japan	Pakistan
1	Foot Rest	
1	Height 18	Subject to approval of Sample
2	Length: 16 "	
3	Width: 12"	
4	Sheesham wood.	
2	CHAIR CANED WITH WOODEN FRAME	
1	Seat Height: 18 nch	Subject to approval of Sample
2	Seat back side: 36 inch	
3	Width 20 x 22 inch with canned & binding.	
4	Structure made of Sheesham wood with arms Finish with N.C Liqueur	
3	Dice	
1	Front: 2 ft	Subject to approval of Sample
2	Height: 42 inch	
3	Second side: 45 inch	
4	Depth: 16 Inch with one shelf	
5	Wooden frame with Sheesham & foot rest	
4	STUDY TABLE	
1	Height: 30 inch	Subject to approval of Sample
2	Width: 36 inch	
3	Depth: 24 inch	
4	Best quality lamination sheet with Sheesham wood & foot rest border.	
5	To 3/4" thick made of high density chipboard pressed with one side formica & other side veneer, structure made of solid seasoned sheesham wood & foot rest, Finish with N.C Liqueur.	
6	01 Locker portion on right side	
7	Material: frame with Sissoo wood and durable laminates that have the natural beauty and wood grain texture of real wood	
5	WOODEN STUDY CARREL (SINGLE)	
1	Material: frame with Sissoo wood and durable laminates that have the natural beauty and wood grain texture of real wood	Subject to approval of Sample
2	Color: Avant Cherry	
3	Height: 46 inch	
4	Width: 29-1/4 inch	
5	Depth: 22-1/2 in	
6	ROUND STUDY TABLE (4'X4'X2 1/2')	

Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sheikh Zayed Medical College R.Y.Khan

Muhammad Zia Ur Rehman Alvi
 Professor of Anatomy
 Sheikh Zayed Medical College R.Y.Khan

Dr. Qurat-ul-Ain Kamran
 Assistant Professor (Forensic Medicine)
 Sheikh Zayed Medical College R.Y.Khan.

IAAN RAZOON
 B.Sc. (Hons) in Forensic Medicine
 Sheikh Zayed Medical College R.Y.Khan

DR. JAVED IQBAL
 Assistant Professor Biochemistry
 Sheikh Zayed Medical College R.Y.Khan

LIBRARIAN
 Sheikh Zayed Medical College R.Y.Khan

Assistant Manager (Contracts)
 Engineering & Maintenance Works
 Sheikh Zayed Medical College R.Y.Khan

DR. QURAT-UL-AIN KAMRAN
 Assistant Professor (Forensic Medicine)
 Sheikh Zayed Medical College R.Y.Khan

1	Round Study Tables on steel metal legs	Subject to approval of Sample
2	Dimension: 4"x4"x2 1/2"	
3	Color: Avant Cherry	
4	Material: frame with Sissoo wood and durable laminates that have the natural beauty and wood grain texture of real wood	
7	BOOK SHELVES DOUBLE SIDE	Subject to approval of Sample
1	Material: Iron and glass	
2	Color: Off White	
3	Width: 36 in	
4	Depth: 20 in	
5	Height: 60 in.	
8	JOURNAL DISPLAY SHELVE (5'X4')	Subject to approval of Sample
1	Material: Iron	
2	Color: Off White	
3	Width: 48 inch	
4	Depth: 12 inch	
5	Height: 60 inch	
9	HOD CHAIR	Subject to approval of Sample
1	Material: Mesh	
2	Color: Black	
3	Size, free size	
4	Chair Type: Mesh	
5	Back type: high back	
6	Revolving chair	
7	Model high back mesh chair	
10	SIDE RACK WOODEN	Subject to approval of Sample
1	Made of best Lamination sheet wooden/Formica Sheesham	
2	2 Partitions	
3	Top 16-36",	
4	Height 30"	
11	PORTABLE GLASS WALL (FOR PARTITION)	Subject to approval of Sample
1	Dimensions: Material: Iron and plastic glass	
2	Height: 36 inch,	
3	Width: 48 inch	
12	BOOK SHELVES FOR DEPT. LIBRARY	Subject to approval of Sample
1	Dimensions: Height: 84inch,	
2	Depth: 12-inch	
3	Width: 30 inch.	

Dr. Ghazala Farrukh
 Associate Professor
 Department of Physiology
 Sh. Zayed Medical College
 Hospital R.Y.Khazim

Dr. M. HANAFI ZIA UR REHMAN ALVI
 Associate Professor of Anatomy
 Sheikh Zayed Medical College
 Rahim Yar Khan

Dr. Ghazala Farrukh
 DEPUTY LIBRARIAN
 Sh. Zayed Medical College
 Hospital R.Y.Khazim

Dr. Ghazala Farrukh
 Associate Professor
 Department of Physiology
 Sheikh Zayed Medical College
 Hospital R.Y.Khazim

Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sh. Zayed Medical College/Hospital RYK

Dr. Ghazala Farrukh
 Associate Professor
 Department of Physiology
 Sheikh Zayed Medical College
 Hospital R.Y.Khazim

Dr. Ghazala Farrukh
 Associate Professor
 Department of Physiology
 Sheikh Zayed Medical College
 Hospital R.Y.Khazim

Technical Evaluation Statement on 02-02-2022 For the Medical Equipment "HIP Spica O.T Table"
ADP Scheme "Programme for Revemping of Emergencies of Tertiary Care Hospital in Punjab (Sheikh Zayed Hospital, Rahim Yar Khan)
(Financial Year 2021-22)

Sr. #.	ITEM NO. 01 E HIP Spica O.T Table	M/s MJ Marketing Services
PART-I, KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	Yes
2	Original Reciept for Purchase of Tender	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes
4	Registration status issued by FBR (NTN/STRN) is active as per ATL On FBR	Yes
5	An affidavit (as per specimen Performa on stamp paper of Rs.100/-)	Yes
6	Bid security	Less than 3%
7	Bid Validity	Yes
8	Delivery Period	Yes
9	The tender documents are signed stamped and proper page number marking	Yes
10	The bidder/bidders has been blacklisted by any public sector organization	No
	Remarks (Responsive/Non-Responsive)	Non Responsive
PART-II, KNOCK DOWN CRITERIA (MACHINARY AND MEDICAL EQUIPMENT)		
11	Valid Manufacturing License (Embassy Attested for foreign produts)	Local Item
12	Company registration certificate is attached ? (SECP or PRA in case of local supplier)	Yes Available
13	Exclusive /Sole authorization agreement from the foreign Manufacturer.	Local Item
14	Certificate from the manufacturer that the after sales services / backup services shall be provided jointly with the local sole agent and in case of change of local agent, they will provide the after sales services themselves or through newly appointed agent for the period mentioned from the date of commissioning .	Local Item
15	A Certificate from the manufacturer that the installation will be conducted in conformity with the system requirements by following the professional approach	Local Item
16	Submission of valid legally enforceable exclusive authorization letter of manufacturer assuring full guarantee and warranty obligations as per enclosed manufacturer authorized from with the bid document.	Local Item
17	Valid Manufacturing License of quoted item, embassy attested with certified documentary evidence of manufacturing site & location.	Local Item
18	Acceptance of terms and condition of tender documents duly signed and stamped.	Yes
19	The medical equipment offered from foreign countries of USA, Europe and Japan shall be eligible to participate and must bear FDA510K, CE(MDD) or MHLW (Ministry of Health, Labor and Welfare) standard.	Local Item
20	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment.	Local Item
21	The quoted model of imported product shall be available on the current official website of the manufacturer ; otherwise the quoted product shall be considered obsolete/ redundant and will straight away be rejected , (Web link and Screenshort must be attached).	Local Item
22	Past performance of the bidder . (min.02 years of Quoted product) (Only supply orders and installation/ commissioning certificate issued by head of institution shall be acceptable).	No
	Remarks (Responsive/Non-Responsive)	Non Responsive

Non-Responsive due to Sr.# 06 (CDR Less Than 3%) and Sr# 22 (Past Performance) are not attached.

Dr. Qurrat-ul-Ain Kamran
 Assistant Professor (Forensic Medicine)
 Sheikh Zayed Medical College, R.Y.Khan

[Handwritten signature]

[Handwritten signature]

DR. JAVED IQBAL
 Assistant Professor Biochemistry
 Sheikh Zayed Medical College
 Rahim Yar Khan

[Handwritten signature]
Dr. Ghazala Farrukh
 Assistant Professor
 Community Medicine
 Sh. Zayed Medical College/Hospital

[Handwritten signature]

DR. MUHAMMAD ZAFAR REHMAN ALVI
 Associate Professor of Anatomy
 Sheikh Zayed Medical College
 Rahim Yar Khan

[Handwritten signature]
 DEPUTY LIBRARIAN
 Sheikh Zayed Medical
 Hospital

TECHNICAL SPECIFICATIONS		
A		Make Local
B		Model Local
C		Country of origin: USA, Europe, Japan Local
1	Scratch-Resistant radiolucent polycarbonate table top, spinal supports, and perineal posts. Allah metal components of table constructed from 304 Stainless Steel, including the adjustment handles and fasteners.	
2	Table Top height: 10"	
3	Table Top length: 19.5"	
4	Table Top width: 19.5"	
5	Size range: Baby up to 18 inch / Child up to 36 inch	
6	Weight bearing capacity: up to 200 lbs	
Accessories:		
Table complete with all four spine supports and three Perineal posts (1 set) Pediatric Spica Table arm support boards		

Subject to Approval of Sample

CONSULTANT PHYSICIAN
Sh. Zayed Medical College R.Y.Khan

DR. SAJED IQBAL
Assistant Professor Biochemistry
Sheikh Zayed Medical College
Rahim Yar Khan

Dr. Ghazala Farukh
Assistant Professor
Community Medicine
Sh. Zayed Medical College/Hospital RYK

Dr. Sarwatul-Ain Kamran
Assistant Professor (Forensic Medicine)
Sheikh Zayed Medical College R.Y.Khan.

Medical Officer
Sh. Zayed Medical College R.Y.Khan

DR. MUHAMMAD ZAFAR PERMAN ALVI
Associate Professor of Anatomy
Sheikh Zayed Medical College
Rahim Yar Khan

IMRAN NAZIR
DEPUTY LIBRARIAN
Hospital R. Y. Khan

SAJID RASOOL
Senior Lecturer
SZMC/Rahim Yar Khan

DR. SULTAN SULTAN
Assistant Professor
Department of Physiology
SZMC/RAHIM YAR KHAN